


CSSE463: Image Recognition

Day 21

- Sunset detector due.
- Foundations of Image Recognition completed
- This week:
 - K-means: a method of Image segmentation
- Questions?



An image to segment...




Segmentation



- The process of breaking an image into regions.
- Two types:
 - General-purpose
 - “One size fits all”
 - Very difficult...
 - Specialized
 - Intended for a specific domain (say fruit-, circle- or skin-finding)
 - Can be successful
- One to right is created using the mean-shift algorithm
 - D. Comaniciu, P. Meer: Mean shift: A robust approach toward feature space analysis. *IEEE Trans. Pattern Anal. Machine Intell*, **24**, 603-619, 2002.
 - EDISON code downloadable at <http://www.caip.rutgers.edu/riul/research/robust.html>

What properties can we use to segment?

- Regions homogeneous wrt. color, texture, etc.
- Simple interiors
- Adjacent regions different (else merge)
- Smooth boundaries



Approaches

1. Models (Ch 15)

- Uses an expected shape, color, etc. (fruit- and circle-finders)
- Can use probabilities (ch 16)

2. Clustering

- An *unsupervised* machine learning technique
 - No class labels used in learning!
- Groups pixels “close” to each other by some metric.
 - Color distance, texture, intensity, spatial location, etc.
- Regions found using connected components

K-means clustering

$$\min_C D = \sum_{k=1}^K \sum_{x_i \in C_k} \|x_i - m_k\|^2$$

- D= total distance
- K = # of clusters
- x are pixels
- C_k is the set of pixels in cluster k
- m_k is the center of cluster k
- $\|\cdot\|$ is a distance

- **Goal:** given K clusters, assign each pixel to one of the clusters such that the *total* distance from each pixel to the center of its cluster is minimized.

K-means clustering

$$\min_C D = \sum_{k=1}^K \sum_{x_i \in C_k} \|x_i - m_k\|^2$$

- K = # of clusters
- x are pixels
- C_k is the set of pixels in cluster k
- m_k is the center of cluster k
- $\|\cdot\|$ is a distance

Problems:

- What's K ?
- How do we know which pixel belongs to each cluster?
- K-means is an answer to the second question.

K-means clustering

- Iterative process to group into k clusters.
- Algorithm (Forsyth&Ponce, p. 315; Shapiro, p. 282):
 - Initialize k cluster means
 - Repeat until convergence:
 - For each pixel, find the closest mean and assign it to that cluster
 - Re-compute the mean of all pixels assigned to the cluster
 - Label each pixel with its current cluster
- Example on board using 2D spatial distance
- Could you implement?

K-means clustering

- We are trying to find out where the clusters are and which points are assigned to each cluster. We iteratively solve half the problem. Notice the overall structure:

- Repeat until convergence:
 - **Assume you know where the cluster centers are.** For each pixel, find the closest mean and assign it to that cluster
 - **Assume you know which points belong to each cluster.** Recompute the mean of all pixels assigned to the cluster
- Label each pixel with its current cluster

K-means clustering

- Pros:
 - Easy to implement
 - Finds local optimum
 - Global optimization (over all partitions) is infeasible
- Cons:
 - The number of clusters, k , must be known in advance
 - Some clusters might have 0 points
 - Local optimum is only an approximation
- Ideas:
 - Can re-run with several initializations
 - Can choose k based on observation or statistical means

K-means clustering

$$\min_C D = \sum_{k=1}^K \sum_{x_i \in C_k} \|x_i - m_k\|^2$$

- K = # of clusters
- x are pixels
- C_k is the set of pixels in cluster k
- m_k is the center of cluster k
- $\|\cdot\|$ is a distance: could be 2D distance in image or **3D Euclidean distance between colors** (or combination of both)

← (On Lab: will produce disconnected regions)

K-means results



Original (120x160)



K=3



K=5



K=7