Mailbox

ECE-320 Quiz #1

Problems 1 and 2 refer to the impulse responses of six different systems given below:

$$h_1(t) = [t + e^{-t}]u(t)$$

$$h_2(t) = e^{-2t}u(t)$$

$$h_3(t) = [2 + \sin(t)]u(t)$$

$$h_4(t) = [1 - t^3 e^{-0.1t}]u(t)$$

$$h_5(t) = [1 + t + e^{-t}]u(t)$$

$$h_6(t) = [te^{-t}\cos(5t) + e^{-2t}\sin(3t)]u(t)$$

- 1) The number of stable systems is
- a) 0 b) 1 c) 2 d) 3
- 2) The number of **unstable systems** is
- a) 0 b) 1 c) 2 d) 3
- 3) Which of the following transfer functions represents a **stable** system?

$$G_a(s) = \frac{s-1}{s+1} \qquad G_b(s) = \frac{1}{s(s+1)} \qquad G_c(s) = \frac{s}{s^2 - 1}$$

$$G_d(s) = \frac{s+1}{(s+1+j)(s+1-j)} \qquad G_e(s) = \frac{(s-1-j)(s-1+j)}{s} \qquad G_f(s) = \frac{(s-1-j)(s-1+j)}{(s+1-j)(s+1+j)}$$

- a) all but $\,G_{\!_{c}}\,\,$ b) only $\,G_{\!_{a}}\,,\,\,G_{\!_{b}}\,,\,\,{\rm and}\,\,\,G_{\!_{d}}\,\,$ c) only $\,G_{\!_{a}}\,,\,\,G_{\!_{d}}\,,\,\,{\rm and}\,\,\,G_{\!_{f}}\,$
- d) only G_d and G_f


e) only G_a and G_d

Problems 4 and 5 refer to the following transfer function

$$H(s) = \frac{2s+1}{(s+2)^2+1}$$

- 4) For this transfer function, the corresponding impulse response h(t) is composed of which terms?
- a) $e^{-t}\cos(2t)$, $e^{-t}\sin(2t)$ b) $e^{-2t}\cos(t)$, $e^{-2t}\sin(t)$
- c) $e^{-t}\cos(4t)$, $e^{-t}\sin(4t)$ d) $e^{-4t}\cos(t)$, $e^{-4t}\sin(t)$
- 5) The **poles** of the transfer function are
- a) $2 \pm i$
- b) $-2 \pm i$
- c) $-1 \pm 2i$ d) $-1 \pm 4i$


Problems 6-8 refer to the figure below, which shows the unit step response of a real 2nd order system and the unit step response of a second order model we are trying to match to the real system.



- 6) In order to make the model better match the real system, the *damping ratio* of the *model* should be
- a) increased
- b) decreased
- c) left alone
- d) impossible to determine
- 7) In order to make the model better match the real system, the *natural frequency* of the *model* should be
- a) increased
- b) decreased
- c) left alone d) impossible to determine
- 8) In order to make the model better match the real system, the *static gain* of the *model* should be
- a) increased
- b) decreased
- c) left alone d) impossible to determine


Name Mailbox

Problems 9 - 11 refer to the signal flow graph representation of the following block diagram.



- **9)** How many **paths** are there? a) 0 b) 1 c) 2 d) 3 e) 4
- **10**) How man **loops** are there? a) 0 b) 1 c) 2 d) 3 e) 4
- 11) Are any of the **cofactors** equal to 1? a) yes b) no

For problems 12-15 consider the signal flow graph representation of the following block diagram.



- **12)** How many **paths** are there? a) 0 b) 1 c) 2 d) 3 e) 4
- **13**) How many **loops** are there? a) 0 b) 1 c) 2 d) 3 e) 4
- **14)** The **determinant** (Δ) is a) 1 b) $1 H_2H_3 H_3H_4$ c) $1 + H_2H_3 + H_3H_4$ d) none of these
- **15)** The **transfer function** is a) 1 b) $\frac{H_1H_2H_3}{1-H_2H_3-H_3H_4}$ c) $\frac{H_1H_2H_3}{1+H_2H_3+H_3H_4}$