

## CSSE 120 – Introduction to Software Development

### Concept: *Functions with Parameters, and Namespaces*

#### Defining functions

A **function** is a chunk of code that has a name. Here (to the right) is a portion of an example of the notation for **defining** a function.

```
def convert_and_return(celsius):  
    fahrenheit = ((9 / 5) * celsius) + 32  
    return fahrenheit
```

The **name** of the function follows the keyword **def**. The variables in the parentheses after the name of the function are called **parameters**. This function **returns** a value. (Functions that have no **return** statement return the special value **None**.)

#### Why have functions?

Functions are powerful for 2 reasons:

- They help **organize a program into logical chunks**. That makes it easier to:
  - Test the program (by testing the chunks, called **unit testing**).
  - Modify the program (by focusing your interest on the chunks of interest).
  - Write correct code (by understanding the organization of the program).
  - **Encapsulate** (enclose and hide) the behavior of a function inside its definition, thus separating:
    - the **specification** (*what* the function accomplishes) of the function
    - from its **implementation** (*how* it accomplishes its specification).
- You can **re-use functions**. That is, you can call them over and over again, with different values for the parameters to achieve different results.


(continues on the next page)

## Calling functions

You **call** (aka **invoke**) a function by writing its **name followed by parentheses**, with the **actual arguments** placed inside the parentheses.<sup>1</sup>

When you call a function:

1. The actual **arguments** of the function **call** (the values in the parentheses) are sent into the formal **parameters** of the function **definition**.
2. **Execution continues** at the beginning of the definition of the called function.
3. When the function's **return** statement is executed, the returned value is sent back to the calling function. Or, if the end of the function is reached without a **return** statement, the special value **None** is sent back to the calling function.
4. **Execution continues** from the place where the function call appeared, with the returned value replacing the function call.



Note especially the **two-way transfer of information**:

- When a function is called, the values of the **arguments** are sent **TO** the function, with the **parameters RECEIVING** those values.
  - So this is how information goes **FROM the caller INTO a called function**.
- When a function executes a **return** statement (or reaches its end), its returned value is sent **BACK** from the function, with the **caller RECEIVING** that value.
  - So this is how information goes **FROM the function BACK TO the caller**.
  - If there is no explicit **return** statement, the value **None** is returned automatically.
  - The caller will typically **capture** the returned value in a **variable**, using that variable in subsequent statements, as shown in the diagram above.

<sup>1</sup> You **MUST** have the parentheses even when there are no arguments. It is the parentheses that tell the interpreter to **call** the function instead of just **referring** to it. Avoid this common mistake:

`y = blah`                      where you meant                      `y = blah()`

## Namespaces and variable's scope

Today's programs might have thousands of functions. If we had to think up new variables for each function, we would be in trouble! For that reason, variables are **local** to the functions in which they are defined. That is, **each function call has its own namespace**, which means:

- When a function is **called**, a **namespace** for its variables is created. The function's parameters and any variables defined inside the function are placed into the function call's namespace.
- Variables in one namespace have NOTHING to do with variables of the same name in another namespace. The namespaces are completely independent.
- When a function returns to its caller, its namespace (and all the variables defined in it) is destroyed and no longer available.

Here is a picture showing the creation of namespaces, from a textbook by Ljubomir Perkovic:

