

474 HW 12 problems (highlighted problems are the ones to turn in)

12.1b

(#1) 6

12.1c

(#2) 6

12.1d

(#3) 6

12.1j

(#4)

12.3

(#5) 6+6+6

12.4

(#6) 3 for

each part

12.5a

(#7) 9

12.6

(#8) 6

1. Build a PDA to accept each of the following languages  $L$ :
  - a.  $\text{BalDelim} = \{w : \text{where } w \text{ is a string of delimiters: } (, ), [, ], \{, \}, \text{ that are properly balanced}\}$ .
  - b.  $\{a^i b^j : 2i = 3j + 1\}$ .
  - c.  $\{w \in \{a, b\}^* : \#_a(w) = 2 \cdot \#_b(w)\}$ .
  - d.  $\{a^n b^m : m \leq n \leq 2m\}$ .
  - e.  $\{w \in \{a, b\}^* : w = w^R\}$ .
  - f.  $\{a^i b^j c^k : i, j, k \geq 0 \text{ and } (i \neq j \text{ or } j \neq k)\}$ .
  - g.  $\{w \in \{a, b\}^* : \text{every prefix of } w \text{ has at least as many a's as b's}\}$ .
  - h.  $\{a^n b^m a^n : n, m \geq 0 \text{ and } m \text{ is even}\}$ .
  - i.  $\{x c^n : x \in \{a, b\}^*, \#_a(x) = n \text{ or } \#_b(x) = n\}$ .
  - j.  $\{a^n b^m : m \geq n, m-n \text{ is even}\}$ .
  - k.  $\{a^m b^n c^p d^q : m, n, p, q \geq 0 \text{ and } m + n = p + q\}$ .
  
3. Let  $L = \{ba^{m_1} ba^{m_2} ba^{m_3} \dots ba^{m_n} : n \geq 2, m_1, m_2, \dots, m_n \geq 0, \text{ and } m_i \neq m_j \text{ for some } i, j\}$ .
  - a. Show a PDA that accepts  $L$ .
  - b. Show a context-free grammar that generates  $L$ .
  - c. Prove that  $L$  is not regular.
  
4. Consider the language  $L = L_1 \cap L_2$ , where  $L_1 = \{w w^R : w \in \{a, b\}^*\}$  and  $L_2 = \{a^n b^* a^n : n \geq 0\}$ .
  - a. List the first four strings in the lexicographic enumeration of  $L$ .
  - b. Write a context-free grammar to generate  $L$ .
  - c. Show a natural PDA for  $L$ . (In other words, don't just build it from the grammar using one of the two-state constructions presented in this chapter.)
  - d. Prove that  $L$  is not regular.
  
5. Build a deterministic PDA to accept each of the following languages:
  - a.  $L\$, \text{ where } L = \{w \in \{a, b\}^* : \#_a(w) = \#_b(w)\}$ .
  - b.  $L\$, \text{ where } L = \{a^n b^+ a^m : n \geq 0 \text{ and } \exists k \geq 0 (m = 2k + n)\}$ .
  
6. Complete the proof that we started in Example 12.14. Specifically, show that if  $M$  is a PDA that accepts by accepting state alone, then there exists a PDA  $M'$  that accepts by accepting state and empty stack (our definition) where  $L(M') = L(M)$ .

See  
hint  
below

See  
hint  
below

**12.5a Hint:** In order to be deterministic, the first thing your PDA should do, before it adds any input, is to push a special "bottom of stack" marker

**12.3 Clarification:** It may help you to understand the language better if you replace "for some  $i, j$ " by "at least one pair  $i, j$ ".

**Hints** (a) Have states and transitions to handle the "don't care" sections where we aren't worried about the number of b's. (b) One nonterminal for when the  $m_i > m_j$ , and one for when  $m_i < m_j$ . (c) Pumping theorem alone probably won't do it; also use closure property.

**Warning:** Last time I taught the course, several students indicated that this was the most difficult problem in the assignment, and a few thought it was one of the hardest problems of the term.