

CSSE 220 Day 4

Practice Implementing Classes in Java
and an Intro. to Java Graphics

Open WordGames project and
specification from Homework 3

Outline

- ▶ WordGames: examples and work time
- ▶ Live coding: a Java graphics program

Censor

Writing test cases and
wrapping up in-class quiz 3

Another WordGames Example

```
1 /**
2  * A NameDropper puts "foo says " before its given string, where foo is the name
3  * that the particular NameDropper drops.
4  *
5  * @author David Mutchler. Created December 4, 2009.
6  */
7 public class NameDropper implements StringTransformable {
8
9     private String nameToDrop;
10
11     /**
12      * Sets "Madonna" as this NameDropper's name to drop.
13      */
14     public NameDropper() {
15         this.nameToDrop = "Madonna";
16     }
17
18     /**
19      * Sets the given String as this NameDropper's name to drop.
20      *
21      * @param nameToDrop
22      */
23     public NameDropper(String nameToDrop) {
24         this.nameToDrop = nameToDrop;
25     }
26
27     /**
28      * Returns the String that results from putting "foo says " before its given
29      * string, where foo is the name that this particular NameDropper drops.
30      *
31      * @param stringToTransform
32      * @return the String that results from putting "foo says " before its given
33      *         string, where foo is the name that this particular NameDropper
34      *         drops.
35      */
36     @Override
37     public String transform(String stringToTransform) {
38         return this.nameToDrop + " says " + stringToTransform;
39     }
40 }
```

Word Games Work Time



- ▶ If statements are like C:

```
if (x < 12) {  
    System.out.println("x is small");  
}
```

- ▶ Use % for modulus, like C:

```
if (x % 2 == 0) {  
    System.out.println("x is even");  
}
```

- ▶ For loops are like C:

```
for (int i = 0; i < 10; i += 2) {  
    System.out.println("next even is " + i);  
}
```

Doubler and Pedant are now optional

On to Java Graphics

Check out `IntroToJavaGraphics` project from SVN

Simplest Java Graphics Program

```
import javax.swing.JFrame;
```

```
/**
```

```
* From Ch 2, Big Java.
```

```
* @author Cay Horstmann
```

```
*/
```

```
public class EmptyFrameViewer {
```

```
/**
```

```
* Draws a frame.
```

```
* @param args ignored
```

```
*/
```

```
public static void main(String[] args) {
```

```
    JFrame frame = new JFrame();
```

```
    frame.setSize(300,400);
```

```
    frame.setTitle("An Empty Frame");
```

```
    frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
```

```
    frame.setVisible(true);
```

```
}
```

```
}
```

This code is already in your project for today

Creates a graphics frame object

Configures it

Display the frame

Tells Java to exit program when user closes the frame

Live Coding

MyViewer and MyComponent
(Based on **RectangleViewer**
and **RectangleComponent**
from Big Java)

Schedule page has link to detailed instructions if you'd rather work ahead or on your own later.

Other Shapes

- ▶ `new Ellipse2D.Double(double x, double y,
double w, double h)`
- ▶ `new Line2D.Double(double x1, double y1,
double x2, double y2)`
- ▶ `new Point2D.Double(double x, double y)`
- ▶ `new Line2D.Double(Point2D p1, Point2D p2)`
- ▶ `new Arc2D.Double(double x, double y,
double w, double h,
double start, double extent,
int type)`
- ▶ **Try these!**
 - Add an ellipse and both kinds of lines to **MyComponent**

Adding Text

- ▶ To add some text to a component:
 - `graphics2.drawString("some text", x, y);`
- ▶ You can change the font *before* drawing the text:
 - `Font f = new Font("Times New Roman",
Font.PLAIN, 72);`
`graphics2.setFont(f);`

Style. Other alternatives are:
Font.BOLD,
Font.ITALIC, and
Font.BOLD | Font.ITALIC

Font size in
points

Colors

- ▶ To change the Graphics2D object's "pen" color:
 - `Color c = ...; // see below`
`graphics2.setColor(c);`
- ▶ Lots of colors:
 - `new Color(red, green, blue)`, all from 0 to 255
 - `Color.RED`, `Color.WHITE`, etc. (see Javadocs)
 - `new Color(red, green, blue, alpha)`, all from 0 to 255.
alpha is transparency
- ▶ To fill interior of shape:
 - `graphics2.fill(box);`

Making Faces

- ▶ Due session 6
 - Look over project as part of HW4
 - Complete project as part of HW5
 - ▶ Implement a class that draws a face of a given size at a given location. You should also be able to mutate (translate and rotate) it.
1. Specification (in HW)
 2. Design together next session (UML)
 3. Code (incrementally)

