CSSE 220 Day 15

Function Objects and the Comparator Interface Merge Sort Fork/Join Framework

Questions

Today's Plan

- Merge sort recap
- Introduction to function objects, Comparator
- Parallelism with the Fork/Join Framework


Merge Sort Recap

- Basic recursive idea:
 - If list is length 0 or 1, then it's already sorted
 - Otherwise:
 - Divide list into two halves
 - Recursively sort the two halves
 - Merge the sorted halves back together

Analyzing Merge Sort

If list is length 0 or 1, then it's already sorted

- Otherwise:
 - Divide list into two halves
 - Recursively sort the two halves
 - Merge the sorted halves back together



Function Objects

Another way of creating reusable code

A Sort of a Different Order

- Java libraries provide efficient sorting algorithms
 - Arrays.sort(...) and Collections.sort(...)
- But suppose we want to sort by something other than the "natural order" given by compareTo()
- Function objects to the rescue!

Function Objects

- Objects defined to just "wrap up" functions so we can pass them to other (library) code
- For sorting we can create a function object that implements <u>Comparator</u>
- Let's try it!

Intro. to Fork-Join Parallelism

>>> Function objects and recursion meet multicore computers

Some slides and examples derived from Dan Grossman's materials at http://www.cs.washington.edu/homes/djg/teachingMaterials/

Changing a Major Assumption

- Sequential programming: one thing happens at a time
 - No longer the case!
- Parallel programming: multiple things happen simultaneously
- Major challenges and opportunities
 - Programming
 - Algorithms
 - Data

We'll just scratch the surface in CSSE 220

Simplified View of History

- Parallel code is often much harder to write than sequential
- Free ride from the CPEs
 - From 1980-2005 performance of same sequential code doubled every two years
- No one knows how to continue this!
 - Speed up clock rate?
 - Two much heat
 - Memory can't keep up
 - But the "wires" keep getting smaller, so...
 - · Put multiple processors on same chip!

What do we do with all of them?

- Run multiple totally different programs
 - Operating system handles this
 - Uses time-slicing plus multiple cores
- Multiple things at once in one program
 - We'll play with this today!


Parallelism vs. Concurrency

- Parallelism: Use more resources for a faster answer
- Concurrency: Correctly and efficiently allow simultaneous access to data

An analogy

- CS1 idea: Writing a program is like writing a recipe for a cook
- Parallelism: slicing lots of potatoes
- Concurrency: sharing stove burners

Parallelism Idea



- Example: Sum elements of a large array
- Use divide-and-conquer!
 - Parallelism for the recursive calls

Fork-Join Framework

- Specifically for recursive, divide-andconquer parallelism
 - Will be in Java 7 standard libraries, but available in Java 6 as a downloaded .jar file
- Fork: splitting off some code that can run in parallel with the original code
 - Like handing a potato to a helper
- Join: waiting for some forked code to finish
 - Like waiting for the potato slices from the helper

Getting good results in practice

- Set a sequential threshold
 - A size below which we just "slice 'em ourselves"
- Library needs to "warm up"
 - Java Virtual Machine optimizes as it runs
- ▶ Wait until your computer has more processors ☺
- Here there be dragons!
 - Memory–hierarchy issues
 - Race conditions
 - We're ignoring lots of gory details!

Fork-Join Lab

- Find a partner for HW15
- You'll:
 - Write some code
 - Run some experiments
 - Write a lab report
- This is the second time we've tried this:
 - Enjoy playing with the tools and ideas
 - Ask questions!

Follow the written homework instructions carefully. There's a lot more independent learning here than we've been doing so far.