CSSE 220 Day 24

Multithreading

Questions

The World is Concurrent

Joe Armstrong,
Programming in Erlang

Multithreading

- A technique to:
 - Run multiple pieces of code "simultaneously" on a single machine

| Time → Slices | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 1 | 1 | 1 2 | 1 3 | 1 4 |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|
| running thread 1 | | | | | | | | | | | | | | |
| running thread 2 | | | | | | | | | | | | | | |

 Run different parts of a program on different processor cores Running Our Own Code Concurrently

Thread static void sleep(long ms) void start() void interrupt()

```
public class R implements Runnable {
    ...
    public void run() {
        while (true) {
            ... maybe Thread.sleep(...);
        }
    }
}
```

```
«interface»
  Runnable
void run()
MyRunnable
    Class
   Our custom code
```

Wherever you want to start the Thread:

new Thread(object of type R) .start();

From *java.lang*

Animation with Threads

- Example 1: A single object
 - "Animate" it with button clicks
 - Animate it with a Timer

```
Timer timer = new Timer(50, animatorButton);
timer.start();
```

Animate it by using a thread

Wherever you want to start the Thread:

```
new Thread(object of type R) .start();
```

Animation with Threads

- Example 2: Multiple objects
 - Use separate thread for each object's "brain"
 - Another thread asks Java to update the GUI



http://www.roadsideamerica.com/story/8543

Other Uses for Threads

- Web servers: many users connecting
- Desktop applications:
 - layout, spellchecking, auto-save, ...
- Scientific computing
- Weather forecasting
- . . .

Caution!

- What if one thread is in the middle of performing an action when its time slice ends?
- What if a second thread's action interferes with the first's action?
- See bank example in today's project

Vector Graphics

Work time

Be sure everyone is getting a chance to drive.