


Pick up an in-class quiz from the table near the door


CSSE 230 Data Structures and Algorithm Analysis Day 1

$$\sum_{i=1}^n i = 1 + 2 + 3 + \dots + n = \frac{n^2 + n}{2}$$

- two visual representations



Brief Course Intro
Math Review
Growable Array Analysis



Student Introductions

- ▶ Roll call
 - Introduce yourself to the person next to you
 - You'll share more with classmates on Piazza discussion forum, like what work you've done that you are most proud of.
 - Please write more than a couple of sentences about yourself.

Goal: independently design, develop and debug software that uses correct, clear, and efficient algorithms and data structures

Prove: An AVL Tree has $O(\log n)$ height
Proof: By definition,
 $| \text{height}(T_L) - \text{height}(T_R) | \leq 1$
...

Topic	I do	You do	You practice	You show off
Analysis ↓ Programming	Explain, show, do	Listen, follow, read, quiz	Homework sets Major programs	Tests Tests, project

```
/**  
 * A height-balanced binary tree with rank  
 * that could be the basis for a text  
 * editor.  
 * @author Claude Anderson and Matt Boutell.  
 */  
public class EditTree {  
    private Node root;  
    private int rotationCount = 0;  
    private Node singleLeftRotation(  
        Node grandParent, Node parent) {  
        // Set parent nodes  
        ...  
    }  
}
```

How to succeed in CSSE230

- ▶ Work hard
 - Re-do CSSE220 stuff as needed to make sure your foundations (recursion and linked lists) are strong
- ▶ Take initiative in learning
 - Read the text, search Javadocs, come for help
- ▶ Focus while in this class
 - <https://www.rose-hulman.edu/class/cs/csse230/201820/MiscDocuments/LaptopsAreGreatButNotDuringaLectureoraMeeting.pdf> (11/26/2017 NYT)
- ▶ Start early and plan for no all-nighters
 - Two assignments each week: 1 homework set and 1 major program
- ▶ Never give or use someone else's answers

Tools

- ▶ [https://www.rose-hulman.edu/class/csse/csse230/201830/Schedule/schedule, reading/HW/program assignments, room #s!](https://www.rose-hulman.edu/class/csse/csse230/201830/Schedule/schedule,reading/HW/program%20assignments,room%20#s!)
- ▶ www.piazza.com, not email: homework questions and announcements
 - If you email, I'll usually reply, "Great question! Please post it to Piazza"
 - It should auto-email you whenever there is a post.
 - Posting and answering posts is a factor in citizenship grade
- ▶ moodle.rose-hulman.edu: gradebook, homework pdf turn-in, peer evaluations, solutions

After today's class, you will be able to...

- ▶ analyze runtimes of code snippets by counting instructions.
- ▶ explain why arrays need to grow as data is added.
- ▶ derive the average and worst case time to insert an item into an array [GrowableArray exercise]

Analysis / Math Review

Notation

- Floor

$\lfloor x \rfloor =$ the largest integer $\leq x$

- Ceiling

$\lceil x \rceil =$ the smallest integer $\geq x$

- **java.lang.Math**, provides the static methods **floor()** and **ceil()**

Summations

- Summations

- general definition:

$$\sum_{i=s}^t f(i) = f(s) + f(s+1) + f(s+2) + \dots + f(t)$$

- where f is a function, s is the start index, and t is the end index

Geometric progressions: each term is a constant multiple of the previous term

- **Geometric progression:** $f(i) = a^i$
 - given an integer $n \geq 0$ and a real number $0 < a \neq 1$

$$\sum_{i=0}^n a^i = 1 + a + a^2 + \dots + a^n = \frac{1 - a^{n+1}}{1 - a}$$

Memorize
this
formula!

- geometric progressions exhibit exponential growth

Exercise: What is $\sum_{i=2}^6 3^i$?

The sum can also be written:

$$\frac{a^{n+1} - 1}{a - 1}$$

This will be useful for today's Growable Arrays exercise!

Arithmetic progressions: constant difference

Most important to us: a difference of 1

- Arithmetic progressions:
 - An example

Memorize
this
formula!

$$\sum_{i=1}^n i = 1 + 2 + 3 + \dots + n = \frac{n^2 + n}{2}$$


Exercise: $\sum_{i=21}^{40} i$

Also useful for today's
Growable Arrays exercise!

Visual proofs of the summation formula

$$\sum_{i=1}^n i = 1 + 2 + 3 + \dots + n = \frac{n^2 + n}{2}$$

- two visual representations



Application: Find exact and big-Oh runtime of Selection Sort

```
for (i=n-1; i>0; i--) {  
    int maxPos = 0;  
    for (int j = 0; j <=i; j++) {  
        if (a[j] > a[maxPos]) {  
            maxPos = j;  
        }  
    }  
    swap a[maxPos] with a[i];  
}
```

- How many comparisons of array elements are done?
 - Exact? Big-Oh?
- How many times are array elements copied?

Growable Array Analysis

An exercise in doubling,
done by pairs of students

Arrays are ubiquitous

- ▶ Basis for ArrayLists, sorting, and hash tables
- ▶ Why? $O(1)$ access to any position, regardless of the size of the array.
- ▶ Limitation:
 - Fixed capacity!
 - If it fills, you need to re-allocate memory and copy items
 - How efficient is this?
 - Consider two schemes: “add 1” and “double”

Work on Growable Array Exercise

- ▶ Work with a partner
- ▶ Hand in the document before you leave today if possible. Otherwise due start of day 2's class.
- ▶ Get help as needed from me and the assistants.