

- ▶ Proof by Contradiction. Suppose there is such a MaxCSS, namely  $S_{p,q}$ , where  $i+1 \leq p \leq j$ .

$i$   $S_{i,j}$  just became negative!  $j$

Case 1.  $q > j$

$p$  MaxCSS  $q$

Case 2.  $q \leq j$

$p$  MaxCSS  $q$

# CSSE 230 Day 4

## Maximum Contiguous Subsequence Sum

After today's class you will be able to:

provide an example where an insightful algorithm can be much more efficient than a naive one.

# Announcements

- ▶ Sit with your StacksAndQueues partner now
- ▶ Day 2 quizzes returned
- ▶ Why Math?



**Andrew Hettlinger** ▶ **Matt Boutell**

November 6 at 12:30pm · 🌐

In your class, I never thought I'd actually use big O notation, but now I find myself using it in my complaints to coworkers about how a previous developer would sort a list before doing a binary search to find a single element  $O(n \log n) + O(\log n)$  instead of just doing a linear search  $O(n)$ . I feel really nerdy now (as if I didn't before 😊 )

Like · Comment

So why would we ever sort first to do binary search?

# Recap: MCSS

*Problem definition:* Given a non-empty sequence of  $n$  (possibly negative) integers  $A_1, A_2, \dots, A_n$ , find the maximum consecutive subsequence  $S_{i,j} = \sum_{k=i}^j A_k$ , and the corresponding values of  $i$  and  $j$ .

Reminder: we use 0-based indexing.

# Recap: Eliminate the most obvious inefficiency, get $\Theta(N^2)$

```
for( int i = 0; i < a.length; i++ ) {
    int thisSum = 0;
    for( int j = i; j < a.length; j++ ) {
        thisSum += a[ j ];

        if( thisSum > maxSum ) {
            maxSum = thisSum;
            seqStart = i;
            seqEnd   = j;
        }
    }
}
```

- ▶ Exhaustive search: find every  $S_{i,j}$

# MCSS is $O(n^2)$

- ▶ Is MCSS  $\theta(n^2)$ ?
  - Showing that a problem is  $\Omega(g(n))$  is much tougher. How do you prove that it is impossible to solve a problem more quickly than you already can?
  - Can we find a yet faster algorithm?
    - If so, it can't use exhaustive search. (Why?)

$f(n)$  is  $O(g(n))$  if  $f(n) \leq cg(n)$  for all  $n \geq n_0$

- So  $O$  gives an upper bound

$f(n)$  is  $\Omega(g(n))$  if  $f(n) \geq cg(n)$  for all  $n \geq n_0$

- So  $\Omega$  gives a lower bound

$f(n)$  is  $\theta(g(n))$  if  $c_1g(n) \leq f(n) \leq c_2g(n)$  for all  $n \geq n_0$

- So  $\theta$  gives a tight bound
- $f(n)$  is  $\theta(g(n))$  if it is both  $O(g(n))$  and  $\Omega(g(n))$

# Observations?

- ▶ Consider  $\{1, 4, -2, 3, -8, 4, -6, 5, -2\}$
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
  
- ▶ Any subsequences you can safely ignore?
  - Discuss with another student (2 minutes)

# Observation 1

- ▶ We noted that a max-sum sequence  $S_{i,j}$  cannot begin with a negative number.
- ▶ Generalizing this, it cannot begin with a prefix  $A_{i,k}$  with  $k < j$  whose sum is negative.
  - **Proof by contradiction.** Suppose that  $S_{i,j}$  is a max-sum sequence and that  $S_{i,k}$  is negative. In that case, a larger-sum contiguous sequence can be created by removing  $S_{i,k}$ . However, this violates our assumption that  $S_{i,j}$  is a max-sum contiguous sequence.



# Observation 2

- ▶ All contiguous subsequences that border the maximum contiguous subsequence must have negative or zero sums.
  - **Proof by contradiction.** Consider a contiguous subsequence that borders an MCSS sequence. Suppose it has a positive sum. We can then create a larger max-sum sequence by combining both sequences. This contradicts our assumption of having found a max-sum sequence.

# Observation 3

- ▶ Imagine we are growing subsequences from a fixed left index  $i$ . That is, we compute the sums  $S_{i,j}$  for increasing  $j$ .
- ▶ Claim: If there is such an  $S_{i,j}$  that “just became negative” (for the first time, with the inclusion of the  $j^{\text{th}}$  term), any subsequence starting in between  $i + 1$  and  $j$  cannot be a MaxCSS (unless its sum equals an already-found MaxCSS)!
- ▶ In other words, as soon as we find that  $S_{i,j}$  is negative, we can skip all sums that begin with any of  $A_{i+1}, \dots, A_j$ .
- ▶ We can “skip  $i$  ahead” to be  $j + 1$ .

# Proof of Observation 3

- ▶ Proof by Contradiction. Suppose there is such a MaxCSS, namely  $S_{p,q}$ , where  $i+1 \leq p \leq j$ .

$i$        $S_{i,j}$  just became negative!       $j$

- ▶ Key point. What must be true of the following sums?

$S_{i,p-1} \geq 0$        $S_{p,j} < 0$

Case 1.  $q > j$

$p$       MaxCSS       $q$

Starts with a negative prefix. Violates Obs. 1!

Case 2.  $q \leq j$

$p$       MaxCSS       $q$

Borders a subsequence with nonnegative sum. Violates Obs. 2, or there is a previous MaxCSS with the same sum.

# New, improved code!

Q5, Q6

```
public static Result mcSSLinear(int[] seq) {
    Result result = new Result();
    result.sum = 0;
    int thisSum = 0;

    int i = 0;
    for (int j = 0; j < seq.length; j++) {
        thisSum += seq[j];

        if (thisSum > result.sum) {
            result.sum = thisSum;
            result.startIndex = i;
            result.endIndex = j;
        } else if (thisSum < 0) {
            // advances start to where end
            // will be on NEXT iteration
            i = j + 1;
            thisSum = 0;
        }
    }
    return result;
}
```

$S_{i,j}$  is negative. So, skip ahead per Observation 3

Running time is  $O(?)$   
How do we know?

# What have we shown?

- ▶ MCSS is  $O(n)$ !
- ▶ Is MCSS  $\Omega(n)$  and thus  $\theta(n)$ ?
  - Yes, intuitively: we must at least examine all  $n$  elements

# Time Trials!

- ▶ From SVN, checkout **MCSSRaces**
- ▶ Study code in **MCSS.main()**
- ▶ For each algorithm, **how large a sequence** can you process on your machine **in less than 1 second?**

# MCSS Conclusions

- ▶ The first algorithm we think of may be a lot worse than the best one for a problem
- ▶ Sometimes we need clever ideas to improve it
- ▶ Showing that the faster code is correct can require some serious thinking
- ▶ Programming is more about careful consideration than fast typing!

# Interlude

- ▶ If GM had kept up with technology like the computer industry has, we would all be driving \$25 cars that got 1000 miles to the gallon.
  - Bill Gates
  
- ▶ If the automobile had followed the same development cycle as the computer, a Rolls-Royce would today cost \$100, get a million miles per gallon, and explode once a year, killing everyone inside.
  - Robert X. Cringely



# Stacks and Queues

A preview of Abstract Data  
Types and Java Collections

This week's major program

# Stacks and Queues assignment

**Intro:** Ideas for how to implement stacks and queues using arrays and linked lists

How to write your own growable circular queue:

1. Grow it as needed (like day 1 exercise)
2. Wrap-around the array indices for more efficient dequeuing

# Stacks and Queues implementation

**Analyze** implementation choices for Queues – much more interesting than stacks! (See HW)

**Application:** An exercise in writing cool algorithms that evaluate mathematical expressions:

Evaluate Postfix:  $6\ 7\ 8\ *\ +$   
( 62. How?)

Convert Infix to Postfix:  $6\ +\ 7\ *\ 8$   
(  $6\ 7\ 8\ *\ +$  You'll figure out how)

Both using **stacks**.

Read assignment for hints on *how*.

# Meet your partner

- ▶ Plan when you'll be working. We suggest that your first meeting should be today or tomorrow
- ▶ Review the pair programming video as needed
- ▶ Check out the code and read the specification together