


CSSE463: Image Recognition

Day 5

- Lab 2 due Wednesday.
 - Although you should get it in asap to maximize time for:
- **Fruit Finder** due Friday, 11:59 pm.
 - Ask questions as they arise, about technique or about Matlab
- Today: Global vs local operations, filtering

- Questions?



Global vs. local operators

- Given a pixel, p , it can be transformed to \tilde{p} using:
 - Global operators
 - Use information from the entire image
 - $\tilde{p} = f(p, p \in \text{img})$
 - Local operators
 - Transform each pixel based on its value or its neighborhoods' values only (p_N includes p)
 - $\tilde{p} = f(p, p \in p_N)$

Enhancement: gray-level mapping



- Maps each pixel value to another value
- Could use a lookup table, e.g., [(0,0), (1, 3), (2, 5), ...]
- Could use a function
 - Identity mapping, $y=x$ is straight line
 - Function values above $y=x$ are boosted, those below are suppressed.
 - Gamma function, $y = x^{1/g}$ (assuming x in range $[0,1]$) is a common a control in monitors/TVs.
 - $g=2$ shown to left
 - Effect?

Gamma mappings, $y = x^{(1/g)}$

Original



Dark ($g = 0.5$)



Light ($g = 2$)




Very light ($g = 4$)




Histogram Equalization

- Creates a mapping that flattens the histogram.
 - Uses full range [0, 255]
 - Good: “automatically” enhances contrast where needed.
 - Approx same level of pixels of each gray level
 - Unpredictable results.
 - Maintains the histogram’s shape, but changes the density of the histogram
- Good example of a *global* operation
- Next: pros and cons

HistEq on Sunset



HistEq on Matt



Whoops!

But where's the color?

- Can we use gray-level mapping on color images?
- Discuss how

Local operators

- The most common local operators are **filters**.
 - Today: for smoothing
 - Tomorrow: for edge detection



Image smoothing

- Gaussian distributions are often used to model noise in the image
 - $g = g_r + N(0, \sigma)$
 - g = sensed gray value
 - g_r = real grayvalue
 - $N(0, \sigma)$ is a Gaussian (aka, **N**ormal, or bell curve) with mean = 0, std. dev = σ .
 - Lots of Gaussian distributions in this course...
- Answer: average it out! 3 methods
 - Box filter
 - Gaussian filter
 - Median filter
- Filter

Box filters



- Simplest.
- Improves homogeneous regions.
- Unweighted average of the pixels in a small neighborhood.
- For 5x5 neighborhood,

$$J(r,c) = \frac{1}{25} \sum_{i=-2}^2 \sum_{j=-2}^2 I(r+i, c+j)$$

See why this is a “local operation?”

I = orig image, J=filtered image

Gaussian filters

- Nicest theoretical properties.
- Average weighted by distance from center pixel. Weight of pixel (i,j):

$$W(i, j) = \frac{1}{\sigma \sqrt{2\pi}} e^{-\frac{d^2}{2\sigma^2}}$$

- Then use weight in box filter formula
- In practice, we use a discrete approximation to $W(i,j)$

Median filters

- Step edge demo
 - smoothGaussDemo
- Salt demo
 - smoothSaltDemo
- Averaging filters have two problems.
 - They blur edges.
 - They don't do well with "salt-and-pepper" noise:
 - Faulty CCD elements
 - Dust on lens
- Median filter: Replace each pixel with the median of the pixels in its neighborhood
 - More expensive
 - Harder to do with hardware
- But can be made somewhat efficient
 - (Sonka, p 129)
- Hybrid: sigma filtering

Discrete filters

$$\begin{bmatrix} 1/9 & 1/9 & 1/9 \\ 1/9 & 1/9 & 1/9 \\ 1/9 & 1/9 & 1/9 \end{bmatrix}$$

- Discrete 3x3 box filter:
- To get the output at a single point, take cross-correlation (basically a dot-product) of filter and image at that point
- To filter the whole image, shift the filter over each pixel in the original image

