

Index

Σ 6	active tape	266
α - β pruning	ACT-V	774
$\Psi(L)$	Ada	668
Σ^*6	adder	800
\mathcal{N}_0	adjacency matrix	437, 567
ω -automaton	Adleman, Leonard	430, 723
$\neg H$	admissibility	
$\neg H_\epsilon$	of a heuristic function	548, 791
φ_k 426	of a search algorithm	549
Σ_L 7	age of universe	419, 433, 799
ϵ -loop	agent	
\leq_M 333	intelligent	703, 759, 769, 773, 790
\equiv_n	agreement in natural languages	256, 398, 750
\leq_P 476	Aho, Alfred	144, 263
μ -recursive function	AI <i>See</i> artificial intelligence	
ϵ -rule	AL	784
15-puzzle	Alexander, Christopher	92
2-CNF	ALGOL 58	664
<i>See</i> 2-conjunctive normal form	ALGOL 60	152, 664
2-COLORABLE	Algol 68	668
2-conjunctive normal form	algorithm	27 , 301, 592
2FSMs-INTERSECT	algorithms	
2-SAT	3-conjunctive Boolean	512
2-SAT-MAX	3-conjunctive Boolean	607
3-CNF	A* 545	
<i>See</i> 3-conjunctive normal form	<i>atmostoneEps</i>	163
3-COLORABLE	<i>buildFSMcanonicalform</i>	69
3-conjunctive normal form	<i>buildgrammar</i>	197
3-conjunctive Boolean	<i>buildkeywordFSM</i>	105
3-SAT	<i>buildunambigrammar</i>	220
3x+1 problem	<i>cfgtoPDAbottomup</i>	192
4-Color Problem	<i>cfgtoPDAnoeps</i>	231
4-Color Theorem	<i>cfgtoPDAtopdown</i>	191
4-COLORABLE	CKY	249
A	<i>computetransitiveclosure</i>	582
A_ϵ	conjunctive Boolean	607
A^* algorithm	connected	462
A_{ALL}	convertPDAtoetnormalform	639
A_{anbn}	convertpdatorestricted	193
A_{ANY}	converttoChomsky	171
Aaronson, Scott	converttoclauseform	618
abacus	converttoGreibach	632
absorption laws	converttononterminal	391
accepting	createOBDDfromtree	613
by a deterministic TM	decideCFL	230
by a DFSM	decideCFLempty	232
by a nondeterministic TM	decideCFLinfinite	233
by a PDA	decideCFLusingGrammar	229
by an NDFSM	decideCFLusingPDA	231
access control matrix	decideFSM	136
Ackermann, Wilhelm	decideregex	137
Ackermann's function		

<i>dfsmsimulate</i>	59
<i>disjunctiveBoolean</i>	608
<i>Earleyparse</i>	260
<i>emptyFSM</i>	138
<i>emptyFSMcanonicalgraph</i>	137
<i>emptyFSMgraph</i>	137
<i>emptyFSMsimulate</i>	138
<i>eps</i>	53
<i>equalFSMs</i>	140
<i>Eulerian</i>	463
<i>finiteFSM</i>	139
<i>finiteFSMgraph</i>	139
<i>finiteFSMsimulate</i>	139
<i>first</i>	263
<i>follow</i>	263
<i>forward</i>	80
<i>fsmstoregex</i>	103
<i>fsmstoregexheuristic</i>	98
<i>game-search</i>	787
<i>game-search-α-β</i>	788
<i>grammartofsm</i>	114
<i>infiniteFSM</i>	140
<i>intersectPDAandFSM</i>	211
<i>Kruskal</i>	465
<i>minDFSM</i>	67
<i>minimalFSM</i>	140
<i>minimax</i>	785
<i>minimax with α-β pruning</i>	787
<i>MSTdecide</i>	466
<i>ndfsmconvertandsimulate</i>	59
<i>ndfmssimulate</i>	54
<i>ndfsmtodfsm</i>	55, 627
<i>obtainSelf</i>	425
<i>PDAtoCFG</i>	197
<i>proveFOL</i>	365
<i>QBFdecide</i>	524
<i>quicksort</i>	537, 553
<i>regextofsm</i>	97
<i>removeEps</i>	162
<i>removeLong</i>	173
<i>removeMixed</i>	172
<i>removeUnits</i>	171
<i>removeunproductive</i>	154
<i>removeunreachable</i>	155
<i>resolve-Boolean</i>	610
<i>resolve-FOL</i>	624
<i>simcomputer</i>	287
<i>simple-rewrite</i>	146
<i>totalFSM</i>	138
<i>unify-for-resolution</i>	622
<i>Viterbi</i>	79
<i>without\$</i>	216
alignment of protein sequences	732
allele	75, 729
almost satisfiability	513
alphabet	6
alpha-beta pruning	787
<i>alt</i> 228	
Alternating Bit protocol	58, 91, 696
alternating Turing machine	784
ALU	800
Amazons	784
ambiguity	
in context-free grammars 159 , 245, 246, 367, 373, 667	
in English	161, 168, 667, 752
in programming languages	160, 166, 668
in regular grammars	160
inherent	161 , 367
techniques for reducing	162
ambiguous attachment	166 , 168, 753
A^nB^n	13 , 21, 124, 219, 223, 325, 388, 534
$A^nB^nC^n$ 22 , 26, 203, 207, 274, 307, 325, 376, 385, 387, 397, 406, 435, 440, 460	
and elimination	558
and introduction	558
Anderson, John R.	774
Antikythera Mechanism	xii, 795
antisymmetry	569
AP	784
APL	3
Appel, Kenneth	501, 553
approximation algorithm	434, 536, 785
APSPACE	784
Archimedes	545
argmax	80, 178
ARPAbet	756
ARQ protocol	695
artificial intelligence	5, 621, 675, 758 , 789
associativity	579
astronomical calculator	796
astronomical clock	796
asymptotic dominance	441 , 597, 653
<i>atmostoneEps</i>	163 , 234
ATN	<i>See</i> augmented transition network
atoms in universe	143, 419, 785
attachment ambiguity	166 , 168, 753
attribute grammar	397 , 406, 431
augmented transition network	780
Austin Villa	802
AutoCAD	671
automatic programming	37, 676
automatic reasoning	758
automaton	795
average case performance	439
Baader, Franz	711
Bach chorales	779, 780
backgammon	783
Backus Naur form	13, 152, 664 , 771
Backus, John	664
backward chaining	329, 762 , 773
Baker, Robert	777

Bal21, **126**, 145, 150, 159, 163, 167, 180, 184, 201, 228

balanced delimiters 179

balanced parentheses language *See* Bal

Bandke, Volker xii

bar code **71**, 91

Bar-Hillel, Yehoshua 144, 263, 430

Baroni, Mario 779

Baum, Leonard E. 144

Baum-Welch algorithm 79

Bel, Bernard 779

belief

 reasoning about 760, 769

Bengal farmers 433, 552

Bentley, Jon 746

Berners-Lee, Tim 25, 704

best-first search 545, 675, 780

bidirectional finite state transducer **71**, 740

Big Bang 419, 433, 441, 799

big- \mathcal{O} **442**, 597, 653

bigram model 746

bigram tagger 742

bijection 578

binary adder 19, **800**

binary decision tree 612

binary function 575

binary multiplier 800

binary relation 565

binary search 726

BIN-PACKING 486, 514

bipartite graph **501**, 649

bisection of a graph 514

Bishop, Matt 719

BNF *See* Backus Naur form

Boolean expression grammar 180, 805

Boolean logic **556**, 606

 decidability 364

 normal forms 606

 resolution 512, **609**

 satisfiability 32, 299, 364, 435, 473, 479, **556**, 609, 612

bottom-up parser 191, **247**, 399

bounded simulation 138

BOUNDED-PCP 361, 486, 512

boustrophedon 369

BPP 539

Brachman, Ronald 711, 760

branching factor of a grammar **158**, 169, 204, 221, 232, 640

breadth-first search 286, **454**, 548, 643, 647

Bryant, Randal 613

Büchi automaton **83**, 144, 684, 694

Büchi, J. 144

buildFSMcanonicalform 69, 137, 140

buildgrammar 197

buildkeywordFSM **105**, 144, 448, 734

buildunambigram 220

business rules engine 771, **774**

busy beaver function 277, **412**, 419, 431

C 9, 166

C++ 166, 346

Cage, John 776

Camilleri, Lelio 779

canonical form **69**, 169

 for Boolean expressions 69, **614**

 for FSMs **69**, 137

Cantor, David 430

cardinality

 of a language 10

 of a set **562**

 of the context-free languages 203

 of the regular languages 118

 of the SD languages 319

Carmichael number 542

Cartesian product 565

causal universe **143**, 318, 419, 785

ceiling 28

cellular automaton 303, **308**, 400

certificate 469

CFG *See* context-free grammar

CFG_{ALL} **368**, 369

cfgtoPDAbottomup **191**, 192, 234

cfgtoPDAnoeps **231**, 234

cfgtoPDAtopdown 190, **191**, 230, 234, 370

CFL *See* context-free language

Champandard, Alex 789

Chandra, Ashok 784

characteristic function 8, 277, 411, **562**

chart parser *See* parser, chart

chatbot 758, 794

checkers 550, 783

chemical structure matching 486

chess 5, 479, 509, 550, **780**, 783

Chinese room argument 758

Chomsky hierarchy 144, 262, 375, **396**, 430

Chomsky normal form **169**, 171, 180, 210, 228, 229, 236, 248, 262, 391, 630

Chomsky, Noam 9, 144, 262, 396, 430, 779

chop **35**, 131, 227

CHORAL 780

Christofides, Nicos 552

chromatic XE "graph:chromatic number" number 511

chromatic number 477, **501**

CHROMATIC-NUMBER 477, **501**, 511

chromosome 729

Church, Alonzo 302, 303, 304, 430, 671

Church's thesis *See* Church-Turing thesis

Church-Turing thesis 301, **302**, 312, 379

circuit

 Eulerian **463**, 474, 498, 511, 702

 Hamiltonian **470**, 485, 490, 498

CKY algorithm	<i>See</i> Cocks-Kasami-Younger algorithm	
Clarke, Edmund		144, 680
clause		
definite		764
Horn		763
in Boolean logic		473, 606
in first order logic		616
clause form		560, 617
Cline, Alan		xii
CLIQUE		470, 472 , 474, 477, 485, 512
clique detection		470, 472 , 477, 485, 512
clock		
mechanical		796
Clocks, William F.		766
closed world assumption		710, 768
closure		
mathematical definition		36, 581 , 599
programming language definition		674
closure properties		
infinite languages		38
closure properties of		
Büchi automata		87 , 685
context-free languages		188, 209 , 214, 225, 227, 263
context-sensitive languages		391 , 406, 431, 533
decidable languages		320, 325
deterministic context-free languages		216 , 228, 635
finite languages		36, 38
infinite languages		36
PSPACE		534
regular languages		47, 119 , 130, 133
semidecidable languages		320, 326
space complexity classes		532, 534
the class BPP		539
the class L		532
the class NP		503, 512
the class P		459, 512
CNF		<i>See</i> conjunctive normal form
2-CNF		<i>See</i> 2-conjunctive normal form
3-CNF		<i>See</i> 3-conjunctive normal form
Cobol		176
Cocks, J.		248, 263
Cocks-Kasami-Younger algorithm		229, 235, 248, 263, 453, 461, 751
codomain of a function		575
co-space		533
coffee can problem		594
co-finite language		515
cognitive modeling		771, 773 , 791
cognitive psychology		771, 773 , 791
Cohn, Martin		143
co-L		532
Colbourn, Charles		782
coloring		<i>See</i> map coloring
colorless green ideas		9 , 754
Common Music		671
commutativity		579
compiler construction		4, 160, 235, 262, 347, 355, 664
complement		
closure under		47, 120, 210, 216, 320, 394, 459, 503, 532, 533, 539
of a language		11 , 313, 348
of sets		580
complement of sets		564
complementary literals		610, 623
<i>complementdetPDA</i>		234
complete graph		501
completeness		
logical		561
of a set of inference rules		557
with respect to a world		561
completeness of a set of inference rules		560
Completeness Theorem		302, 365, 430, 560 , 561
complexity		
logarithmic space		530
multitape Turing machines		283
nondeterministic Turing machines		283, 286
polynomial space		519
polynomial time		459
randomized Turing machines		538
space		439 , 516
sublinear space		529
time		439 , 459, 597
Complexity Zoo		435, 552
COMPOSITES		284, 467 , 498, 541
composition of functions		576
composition of relations		566
compositional semantics		13 , 92, 399
compression algorithm		659
computable function		277 , 303, 382, 409, 416, 419
computation		
of a Turing machine		270
of an FSM		42
of an LBA		387
of a PDA		183
computation history		368 , 395
computational biology		5, 716, 727
<i>Computer Cantata</i>		777
computer game		5, 545, 773, 789
computer network		693
<i>computetransitiveclosure</i>		582
concatenation		
closure under		119, 209, 325, 392
of languages		11
of strings		6
concept subsumption		573
concurrent systems		69, 84, 679
co-ndspace		533
configuration		
of a PDA		182
of a Turing machine		269

of an FSM	42	Cormen, Thomas	552
conflict resolution	773	co-RP	540
conjunctive normal form		correctness proof	
for Boolean logic	473, 606 , 609	of a grammar	155, 376
for first-order logic	616 , 761	of a program	17, 84, 346, 364, 593, 677, 678
<i>conjunctive Boolean</i>	607	countable set	589
co-NL	532	countably infinite set	589
CONNECTED	18 , 436, 460, 461, 516	counterexample proof	584
connected graph	18 , 460, 461	counterpoint	780
co-NP	503, 541	<i>countL</i>	427
consistency	561	<i>createOBDDfromtree</i>	613
construction proof	<i>See proof by construction</i>	Cross, Ian	778
context-free grammar	149, 778	cross-serial dependency	208 , 212, 748
ambiguity	159 , 373	crossword puzzle construction	782
correctness proof	155	cryptology ... 17, 466, 470, 538, 541, 543, 679, 722	
designing	153	cumulative acknowledgement protocol	699
for English	<i>See English grammar</i>	currying	427
for programming languages	664	cut in a graph	514
for URIs	705	CYK algorithm <i>See</i> Cocke-Kasami-Younger	
island	690	algorithm	
island	175	D (the decidable languages)	274 , 312, 318
LL(1)	245	D0L-system	403
LR(1)	255	da Vinci, Leonardo	776
normal form	169	dance	808
simplifying	154	dangling else problem	166, 180, 668, 753
stochastic	177 , 738, 753, 754	Dantzig, George	502, 552
context-free language	21, 145, 150 , 461, 666, 747	das Botenproblem	552
deterministic	190, 214 , 219, 246, 635	database	690
inherently ambiguous	161 , 219, 367	database query language	13, 805
LL(1)	246	Davis, Martin	430, 761
LR(<i>k</i>)	255	de Morgan's laws	557 , 581, 607, 608, 618
undecidable properties	366	dead code elimination	347, 669
context-free parsing 157, 190, 218, 235 , 453, 456, 461		dead state	43 , 114
context-free Pumping Theorem <i>See</i> Pumping		decidability	23, 27, 274, 312, 318, 328
Theorem, context-free		decidability of	
context-sensitive grammar	375, 388, 779	Boolean logic	364
context-sensitive language	386 , 431, 529, 533	context-free languages	230
CONTEXT-SENSITIVE-MEMBERSHIP	529	first-order logic	364
contradiction		regular languages	136
in Boolean logic	558	decidable language	23, 274 , 312, 353, 415
in first-order logic	561	decidable problem	27 , 328, 353, 719
contradiction proof	<i>See proof by contradiction</i>	<i>decideCFL</i>	230 , 234
<i>convertPDAtoetnormalform</i>	639	<i>decideCFLEmpty</i>	232 , 234
<i>convertpdatorestricted</i>	193 , 234, 637	<i>decideCFLinfinite</i>	233 , 234
<i>converttoChomsky</i>	171 , 234	<i>decideCFLusingGrammar</i>	229 , 234, 235, 461
<i>converttoclauseform</i>	618	<i>decideCFLusingPDA</i>	231 , 234, 235, 238, 461
<i>converttoGreibach</i>	632 , 635	<i>decideFSM</i>	136 , 139
<i>converttononterminal</i>	391	<i>decideregex</i>	137
Conway, John	303, 308, 430	<i>decideSATdeterministically</i>	517
Cook, Stephen	479, 552	deciding	
Cook-Levin Theorem	479, 480 , 552, 761	by a deterministic TM	274
Cope, David	780	by a nondeterministic TM	284
Coppersmith, Don	263, 552	decision problem	16 , 27
Coppersmith-Winograd algorithm	251, 457, 552	decision procedure	27 , 312
<i>copyandreverse</i>	133 , 227	decision procedures for	
Corasick, Margaret	144	Büchi automata	87 , 685

context-free languages	229, 366, 461
context-sensitive languages	387, 394
regular languages	136 , 366, 461, 528
decision tree	612
decoding problem in HMMs	78 , 755
Dedekind, Richard	431
deductive verification	679
Deep Blue	780
deep structure	779
default reasoning	760
definite clause	764
degree of a vertex	463
deobfuscation	78
depth-first search	238, 286, 454
derivation	
left-most	159
right-most	159
with context-free grammars	150
with context-sensitive grammars	388
with regular grammars	113
with rewrite systems	146
with semi-Thue systems	384
with unrestricted grammars	375
description logic	711 , 760
deterministic context-free language <i>See</i> context-free language: deterministic	
deterministic finite state machine	41
deterministic normal form for PDAs	220, 635
deterministic pushdown automaton	185
DFSM	<i>See</i> deterministic finite state machine
DFSM-ACCEPT	512
DFSM-ALL	512
diagonalization	315, 418, 507, 591
dialects of natural languages	255
difference of sets	564
Dijkstra, Edsgar	648
Dijkstra's algorithm	499
Diophantine problem	358, 502
diploid organism	75, 729
DIRECTED-HAMILTONIAN-CIRCUIT	490
disjunctive normal form	608 , 691
<i>disjunctive Boolean</i>	608
distance	
Euclidean	791
Manhattan	791
distinguishability of strings	61
distributivity	579
divide-and-conquer	121, 329 , 456, 520, 526
DL	<i>See</i> description logic
DNA	4, 13, 728
DNA computing	309 , 727
document type definition	806
domain of a function	575
double negation	557
doubly reducible	356
dovetailing	323 , 336
<i>dSPACE</i>	533
DTD	<i>See</i> document type definition
Du, Ding-Zhu	263
dynamic programming	79, 248, 256, 433, 453
Earley algorithm	256 , 263, 453
Earley, Jay	263
<i>Earleyparse</i>	260, 751
Ebcioğlu, Kemal	780
EBNF	<i>See</i> Extended BNF
edge cover	500
EDGE-COVER	500 , 511
Ehrenfeucht, Andrzej	430
electronic music	776
EM	<i>See</i> expectation maximization
Emacs	671
email	693, 793
Emerson, E. Allen	680
EMI	780
emptiness question for	
Büchi automata	87
context-free languages	232
context-sensitive languages	395
regular languages	137
SD languages	339
empty clause	610 , 764
empty set	563
<i>emptyFSM</i>	138
<i>emptyFSMcanonicalgraph</i>	137
<i>emptyFSMgraph</i>	137
<i>emptyFSMsimulate</i>	138
encoding	
for complexity analysis	436
multiple values as a single string	295
of binary addition	19
of context-sensitive grammars	390
of graphs	18
of graphs in DNA	309
of multiple tapes as one	281
of natural numbers	436
of Turing machines	292
power of	16
Turing machines encode themselves	421
encryption	<i>See</i> cryptography
English	9, 739 , 743
ambiguity	161, 168, 179, 752
grammar	152, 158, 168, 744,
is context-free	227, 747
is not regular	129, 133, 743
Markov model of	746
morphological analysis	739
parser	255
part of speech tagging	741
word list	
Wordnet	716
entailment	557, 560 , 609

Entscheidungsproblem **302**, 316, 363, 384, 430, 480, 671, 678, 769

enumerable
lexicographically Turing 323
Turing 321

enumerating Turing machines 294

enumeration **9**, 562, 590
lexicographic **10**, 323

Epp, Susanna 556

eps 53

EqTMs **340**, 344, 354

equalFSMs 140

equivalence classes 571

equivalence modulo n 541, 571

equivalence of states in an FSM 66

equivalence question for
context-free languages 233, 367, **369**
context-sensitive languages 394
D languages **339**, 725
regular languages 140
SD languages **339**, 725

equivalence relation 570

Ethernet 693

Euclid's algorithm **453**, 724

Euclidean distance 548, 791

Euler, Leonhard 463

Eulerian circuit **463**, 474, 498, 511, 702

Eulerian path 463

EULERIAN-CIRCUIT **463**, 474, 498, 702

eureka! 545

evaluation problem in HMMs **78**, 755

Evey, R. J. 263

evolution 731

excluded middle
law of 583

existential generalization 560

expectation maximization 79

expert system 771, 772, **774**

E_{expr} **160**, 165, 192

EXPTIME 475, **509**

EXPTIME-completeness 509, 784

EXPTIME-hardness 509

Extended BNF **665**, 806

Extensible Markup Language 806

factorization 453, 467, 543, 724

Falcone, Rino 263

false negative probability 538

false positive probability 538

feature grammar **397**, 406, 431, 751

Fermat liar 542

Fermat number **28**, 119

Fermat witness 541

Fermat's Little Theorem **541**, 723

Fibonacci sequence 358, **401**, 604

FIFO queue plus FSM 303, **304**

finite set 589

finite state automaton *See* finite state machine

finite state machine 21, **41**, 144, 528, 686, 694, 717, 726, 734, 789, 793, 795
abacus 797
Antikythera Mechanism 795
equivalence with regular expressions 95
Jacquard loom 797
nondeterministic 34, **48**, 144
Prague orloj 796
Towers of Hanoi 798

finite state machine simulator 58

finite state transducer **70**, 734, 800
finiteFSM 139
finiteFSMgraph 139
finiteFSMsimulate 139

finiteness question for
context-free languages 232
regular languages 138
semidecidable languages 354

first **245**, 263

firstchars **35**, 130, 225

first-order logic **558**, 615, 760
normal forms 616
resolution 620
undecidability 364

first-order predicate calculus *See* first-order logic

first-order predicate logic *See* first-order logic

Fischer, Michael 430, 510

fixed point 579

fixed-point theorem 425

FLOAT 104

Floyd, Robert 430

FNP 510

FOL *See* first-order logic

follow **245**, 263

FOL_{theorem} **364**, 510, 523

FOPC *See* first-order logic

Forgy, Charles 773

Fortran 2, 176, 664, 671, 674

forward algorithm 79, **80**, 81, 453, 736, 755, 778

forward chaining 773

forward-backward algorithm 79

Four-Color Problem 501

Four-Color Theorem **501**, 553

foxtrot 808

FP510

fractal 401

Fraenkel, Aviezri 784

FSA *See* finite state machine

FSM *See* finite state machine

FSM-EMPTY 512

FSMs-INTERSECT 528

fsmtoregex 103

fsmtoregexheuristic 98

FTP 693

Fulkerson, Ray 552

function.....	575	video	4, 5, 74, 545, 685, 771, 773, 789
μ -recursive	420 , 431	<i>game-search</i>	787
computable.....	277 , 382, 409, 416, 419	<i>game-search-α-β</i>	788
computation by a Mealy machine	70	Garey, Michael	553
computation by a Moore machine.....	70	gcd	<i>See</i> greatest common divisor
computation by a Turing machine	276 , 409	Gene Ontology Consortium.....	716
computation by grammars.....	381	genetic drift.....	731
grammatically computable.....	381	genetics	75, 728, 731
heuristic.....	545 , 785, 791	genome	729
partial	408	genotype	730
partial μ -recursive	421	GG.....	369
partial recursive.....	416	Ginsburg, Seymour	263, 430
partially computable	277 , 409, 416	Go	479, 509, 550, 783, 784
primitive recursive	416 , 431	God	119
recursive.....	416	Gödel numbering	426
space-constructible.....	534	Gödel, Kurt.....	302, 365, 426, 430, 560, 561
static evaluation	785	Gödel's Incompleteness Theorem <i>See</i> Incompleteness	
time-constructible	505	Theorem	
total	408	Gödel's Completeness Theorem <i>See</i> Completeness	
functional programming	303, 427, 671	Theorem	
functions on languages	35, 130	Google	74, 76
<i>alt</i> 228		Gouda, Mohamed	699
<i>chop</i>	35	grading program	340
<i>copyandreverse</i>	133	<i>Gradus as Parnassum</i>	780
<i>firstchars</i>	35	grammar.....	147
<i>maxstring</i>	131	ambiguous.....	159
<i>midchar</i>	133	attribute	397 , 406, 431
<i>middle</i>	227	context-free	149
<i>mix</i>	132	context-sensitive	388
<i>pref</i>	133	correctness proof.....	155
<i>repl</i>	356	dance	808
<i>shuffle</i>	133	English	152, 158, 168, 744 ,
<i>suff</i>	133	feature	397 , 406, 431, 751
<i>twice</i>	133	formalism.....	148 , 305, 375, 397, 399
Fux, J. J.....	780	HTML.....	805
gadget	476	island.....	175, 263
GALEN.....	716	Java	152, 166, 665
Galois theory	331	music.....	213, 227, 778
Galois, Evariste.....	331	normal forms.....	168
games		OED definition.....	804
15-puzzle.....	32 , 544, 551	phrase structure	262, 375
Amazons	784	regular	113
backgammon.....	783	right linear.....	113
checkers	550, 783	specification with BNF	152, 664
chess.....	5, 479, 509, 550, 780 , 783	stochastic context-free	177 , 738, 753, 754
computer	4, 5, 74, 545, 685, 773, 789	Swiss German	749
crossword puzzles	782	transformational	779
Go	550, 783, 784	type 0	375 , 396
Hex.....	784	unification	397 , 406, 431, 751
Instant Insanity.....	544, 782	unrestricted	306, 375 , 430
interactive	4, 5, 74, 545, 685, 773, 789	<i>grammartofsm</i>	114
Nim	329, 460, 535, 781	grammatically computable function	381
<i>n</i> -puzzle.....	544	graph	
Othello	784	algorithms	5, 462, 463, 465
Sudoku	478, 781	bipartite	501 , 649
two-person	783	bisection.....	514

chromatic number477, **501**, 511
 clique detection470, **472**, 485, 512
 coloring501
 complete501
 connected18, **461**, 516
 cut514
 edge cover500
 encoding18, **437**
 Eulerian circuit**463**, 474, 498, 511, 702
 Eulerian path463
 Hamiltonian circuit**470**, 485, 490, 498
 Hamiltonian path309, **470**, 485
 independent set476, 485, 487, 502
 isomorphism**498**
 longest path499, 512
 minimum spanning tree464, 702
 planar501
 shortest path499
 subgraph isomorphism**486**, 498
 traveling salesman problem433, 471, 490, 517
 vertex cover**488**, 500, 702
 weighted464
 graphics4, 808
 GRAPH-ISOMORPHISM498
 greatest common divisor**453**, 466
 greedy algorithm465
 Greibach normal form ... **169**, 225, 231, 243, 262, 630
 Greibach, Sheila262
 Grep792
 Gries, David594
 ground instance**559**, 616
 Grumberg, Orna144, 680
 H **313**, 328, 332, 354, 368, 384, 408, 411, 435, 670
 H_ε **333**, 354, 366, 719
 H_{-ANY}**348**, 354, 395
 hackers725
 Haken, Wolfgang553
 H_{ALL}**337**, 351, 354, 355
 halting23
 finite state machines23, **44**, 268
 linear bounded automata387
 pushdown automata23, **199**, 269
 Turing machines23, **269**, 312
 halting problem23, **312**, 332, 441, 593
 Hamiltonian circuit**470**, 485, 498
 directed graph490
 Hamiltonian path309, **470**, 485
 HAMILTONIAN-CIRCUIT436, **470**, 485, 495, 498,
 553
 HAMILTONIAN-PATH**470**, 485
 H_{ANY}**336**, 354
 Harel, David686
 Harrison, Michael263, 719
 Hart, Peter553
 Hartmanis, Juris430, 552
 hashing440, 725
 Haskell303, 671, 677
 hearing aids771
 Hendler, James704
 Herbison-Evans, Don809
 Hernandez, Oscarxii
 heterozygous organism76, 730
 heuristic545
 function**545**, 780, 785, 791
 search5, **544**, 553, 785, 790
 Hex784
 hidden Markov model**77**, 453
 for biological sequence matching735
 for speech understanding755
 of music777
 hierarchical regular expression97, **689**
 hierarchy theorems505
 space**533**, 535
 time475, **507**
 Hilbert, David302, 358, 430
 Hilbert's 10th problem**358**, 430
 Hiller, Lejaren776, 777
 HMM*See* hidden Markov model
 Hoare, C. A. R.553
 homomorphism578
 homozygous organism730
 Hopcroft, Johnxi, 263, 430, 431, 553
 Horn clause763
 Howell, Peter778
 HPSCHD776
 HTML4, 13, 175, **805**
 HTTP693
 hypertext markup language*See* HTML
 idempotence579
 identity element579
 if statement166, 668
 iff...viii
Illiac Suite for String Quartet777
 immediate constituent analysis262
 Immerman, Neil533
 Immerman-Szelepcsényi Theorem532, 533
 inbreeding75
 Incompleteness Theorem302, 365, 426, **561**, 678
 inconsistency561
 independent set476, 502
 INDEPENDENT-SET**476**, 485, 487, 502
 indistinguishability of strings60
 induction585
 inference engine773
 infinite descending chain574
 infinite set589
infiniteFSM140
 infix notation576
 inherently ambiguous CFL**161**, 246, 367, 668
 inherited attribute399
 Insinnamo, Patrizia263
 Instant Insanity544, **782**

integer programming 502
INTEGERSUM 18, 20
intelligent agent 703, 759, 769, 773, 790
interactive gaming 5, 74, 545, 685, 771, 773, **789**
Internet..... 107, 694, 698, 699, 703, 739
interpretation of a wff 559
intersection
 closure under 36, 120, 210, 217, 326, 394
 of sets 564, 580
intersectPDAandFSM **211**, 234
intractability **435**, 441, 478, 536, 761
 of first-order logic 769
invariant
 loop *See* loop invariant
inverse of a function 578
inverse of a relation 566
IP 107
IPA alphabet 756
IPL languages 674
irrational number 584
Isaacson, Leonard 777
island grammar **175**, 263, 690
island parsing **176**, 263
isomorphism 578
 graph 486, **498**
 subgraph **486**
iterative deepening 286, 455, **643**, 647
Iverson, Kenneth 3
Ives, Charles 777
Jacquard loom 797
Jacquard, Joseph Marie 797
Java 152, 166, 180, 256, 346, 665, 666, 668, 792
Johnson, David 553
Johnson, Selmer 552
Johnson, Stephen 263
Jones, Kevin 777
Jurafsky, Daniel 263, 431
Karhumaki, Juhani 430
Karmarkar, Narendra 502
Karp, Richard 552
Kasami, Tadao 248, 263
Kasparov, Garry 780
KB *See* knowledge base
Khachian, Leonid 502
Khoussainov, Bakhadyr 144
Kippen, Jim 779
Kleene star 6, **12**
 closure under 119, 209, 325, 392
 in regular expressions 93
Kleene, Stephen 103, 144, 431
Kleene's Theorem 95, **103**, 144, 589
Kleene's *s-m-n* Theorem *See s-m-n* Theorem
KM 671
KNAPSACK 471, 485, 512
knapsack problem 471
Knight, Kevin 758
knowledge base 704, 760, 765, 771
Knuth, Donald 52, 431, 448, 552, 789
Knuth-Morris-Pratt algorithm 52, **448**, 458, 552
Ko, Ker-I 263
Koch island 407
Königsberg, Seven Bridges of **462**, 511
Kozen, Dexter 784
Kripke structure 680
Kruskal, Joseph 552
Kruskal's algorithm **465**, 702
Kuipers, Benjamin 770
Kuroda, S. Y. 431
L = NL? 531
Ladner, Richard 497
Ladner's Theorem **497**, 553
Lagarias, Jeff 430
Laird, John 774
LALR parser 255
lambda calculus 302, **303**, 430, 671
Landweber, Peter 431
language 7
 cardinality 10
 context-free *See* context-free language
 context-sensitive *See* context-sensitive language
 decidable 23, *See* decidable language
 markup *See* markup language
 programming *See* programming language
 query *See* query language
 RE *See* recursively enumerable language
 recognition 16
 recursive *See* recursive language
 recursively enumerable *See* recursively enumerable
 language
 regular *See* regular language
 semidecidable 23, *See* semidecidable language
 type 0 *See* type 0 language
 type 1 *See* type 1 language
 type 2 *See* type 2 language
 type 3 *See* type 3 language
Las Vegas algorithm 539
Lassila, Ora 704
Latin squares 782
law of the excluded middle 583
Lawler, Eugene 552
LBA *See* linear bounded automaton
leakage 719
Lebiere, Christian 774
Lee, Lillian 263
left factoring 244
left identity 580
left recursive grammar rule 241
left-most derivation 159
legacy software 176, 689, 690
legal reasoning 768, 770
Leiserson, Charles 552
Lenstra, Jan 552

Leonardo da Vinci	776
Lesk, Michael	263
letter substitution	72, 120, 210
closure under	209
letter-equivalence of languages	223
Levesque, Hector	760
Levin, Leonid	479, 552
Lewis, Harry	xi, 144, 430
Lex	237, 255, 263
lexer	237
lexical analysis	92, 104, 161, 236, 669
lexicographic enumeration	10, 323
lexicographic order	10
lexicographically Turing-enumerable language	323
Lichtenstein, David	784
Life, game of	303, 308, 400
lightweight analysis	689
Lindenmayer system	148, 303, 399, 431, 780, 804, 809
Lindenmayer, Aristid	399, 431, 809
linear bounded automaton	387, 431
linear programming	502, 552
linear set	639
Linear Speedup Theorem	442, 553, 658
LINEAR-PROGRAMMING	498
Linz, Peter	430
Lisp	37, 180, 303, 610, 668, 671, 759
literal	
in Boolean logic	473, 606
in first-order logic	616
little-o	442, 658
little-omega	443
LL(<i>k</i>)	
grammar	245
language	246
parser	246
L _{Missing}	48
logarithmic	
space complexity	530
space reduction	531
logic	556
Boolean	<i>See</i> Boolean logic
first-order	<i>See</i> first-order logic
in A.I.	760
predicate	<i>See</i> first-order logic
propositional	<i>See</i> Boolean logic
logic programming	147, 307, 765
Logic Theorist	302, 760
longest English sentence	743
LONGEST-PATH	499, 512
longest-prefix heuristic	254
loom	
Jacquard	797
loop invariant	155, 595
LR(<i>k</i>)	
grammar	255
language	255
parser	254
L-system	<i>See</i> Lindenmayer system
LT	<i>See</i> Logic Theorist
Lucas, Édouard Anatole	798
machine learning	676
<i>Macricisum</i>	777
Mahalanobis, P. C.	552
Mairson, Harry	143
Majordomo	792
Manhattan distance	791
map coloring	500, 514, 604
mapping reducibility	333
mapping reduction	333, 475
Markov algorithm	303, 306, 430
Markov chain	<i>See</i> Markov model
Markov model	74
higher order	76, 746
of English	746
of inbreeding	75
of music	776
of weather	74
Markov, A. A., Jr.	306, 430
Markov, A. A., Sr.	144
markup language	22, 704, 705, 805
Martin, James	263, 431
Martin, John	263, 431
matching algorithm	773
mathematical induction	585
Matiyasevich, Yuri	358, 430
Matiyasevich's theorem	358, 430
Matlab	91
matrix multiplication	442, 456
matrix multiplication and CF parsing	250, 263
MAX-BISECTION	514
MAX-CUT	514
maximal element	573
<i>maxstring</i>	38, 131, 133, 226, 227
McCarthy, John	671
McCulloch, Warren	143
McCulloch-Pitts neuron	143
Mealy machine	70, 144, 800
Mealy, George	70, 144
medical databases	716
medical reasoning	621, 716, 772
Mellish, Christopher S.	766
membership question for	
context-free languages	229, 231
context-sensitive languages	387, 388, 394, 529
regular languages	136
SD languages	316, 338
Turing machines	338
Mendelsohn, Noah	25
Menger, Karl	552
Mersenne number	584
Mersenne prime	584
message routing	702

Messenger Problem	552	<i>MSTdecide</i>	466
metadata.....	705	Muller automaton	144
Metaphone	73	multiplier	800
<i>midchar</i>	133, 408	Murphy, Gail	689
<i>middle</i>	227	music	74, 213, 227, 776
Millenium Problem.....	475, 552	<i>Musical Dice Game</i>	776
Miller, Gary	543, 553	MUSICOMP.....	777
Miller-Rabin test.....	543, 553	<i>Musikalisches Würfelspiel</i>	776
MIN-CUT	514	mutation.....	731
<i>minDFSM</i>	67 , 69, 139, 448	mutual exclusion.....	84 , 684
minimal element	573	Myhill, John.....	144
<i>minimalFSM</i>	140	Myhill-Nerode Theorem.....	65
minimalizable function.....	420	N3	708
minimalization of a function.....	419	Nakhleh, Luay	xii
<i>minimax</i>	550, 675, 759, 785	namespace.....	707
<i>minimax with α-β pruning</i>	787	Nardi, D	711
minimization		<i>n</i> -ary function	576
of FSMs	60, 140	<i>n</i> -ary relation	565
of PDAs	367, 370	natural language	
of Turing machines	348	ambiguity	<i>See</i> ambiguity in English
minimum spanning tree	434, 464 , 474, 552, 702	dictionary	<i>See</i> Wordnet
Minsky, Marvin	430	grammar	<i>See</i> English grammar
Minsky's Theorem.....	430	parser	<i>See</i> parser, natural language
Misra, Jay	xii, 329, 648	processing	4, 675, 739 , 759
<i>mix</i>	132 , 133, 227, 327	natural number	562
ML.....	303, 671	natural selection.....	731
model checking.....	69, 84, 144, 364, 473, 612, 615, 679 , 684, 688	Naur, Peter.....	664
model of a wff	559	NDFSM	<i>See</i> nondeterministic finite state machine
model-based test-case generation	688	<i>ndfsmconvertandsimulate</i>	59
Modula-2	668	<i>ndfsmsimulate</i>	54, 60 , 136, 200
modular arithmetic.....	453, 541, 571, 723	<i>ndfsmmodfsm</i> 55 , 69, 120, 139, 142, 144, 200, 214, 448, 627	
modulo equivalence.....	541, 571	<i>ndspace</i>	533
modus ponens	558 , 560	negation as failure.....	768
modus tollens.....	558 , 586	negative Horn clause	764
molecules in universe	318	negative literal	
mono-operational protection framework	719	in Boolean logic	606
monotonic reasoning.....	760	in first-order logic	616
monotonicity		NeqNDFSMs	528
of a heuristic function	550	NeqREGEX	528
Monte Carlo algorithm	538	Nerode, Anil	144
Moonen, Leon.....	176, 263, 690	Nerode's Theorem	65
Moore machine	70 , 144, 800	network	
Moore, Edward	70, 144	analysis	5, 701
Moore, F. Richard.....	777	protocol.....	4, 13, 58, 91, 693
Moore, Ronald.....	789	security.....	725
morpheme	739	neural network	143
morphological analysis	72, 739 , 754	neuron, artificial.....	143
Morris, James	52, 448, 552	Newell, Allen.....	760, 774, 780
most general unifier	623	Nilsson, Nils	553
motif		Nim.....	329, 460, 535, 781
protein	107, 728 , 734	NL.....	530
Motwani, Rajeev.....	553	NL-completeness	531
Mozart, Wolfgang Amadeus.....	776	NL-hardness	531
MPCP	649	NLP	<i>See</i> natural language processing
MST.....	465 , 474, 702	node cover	<i>See</i> vertex cover

nondeterministic

- bottom-up parser248
- Büchi automaton85
- finite state machine34, **48**, 144
- linear bounded automaton388
- program31
- pushdown automaton34, 183, **186**
- top-down parser238
- Turing machine34, **283**

nonmonotonic reasoning**760**, 769

nonplayer character790, 791

nonterminal alphabet113, 147, 375

nonterminal normal form391

normal form**168**

- 3-conjunctive607
- Chomsky **169**, 171, 180, 210, 228, 229, 236, 248, 262, 391, 630
- conjunctive for Boolean logic606
- conjunctive for first-order logic616
- deterministic220, 635
- disjunctive**608**, 691
- for Boolean logic606
- for context-free grammars169
- for context-sensitive grammars391
- for database queries690
- for first-order logic616
- for pushdown automata**193**, 220, 635
- Greibach**169**, 225, 231, 243, 262, 630
- nonterminal391
- prenex616
- restricted**193**, 220

Norvig, Peter553, 759

Notation3708

Notkin, David689

NOT-SIGMA-STAR528

NOT-SIGMA-STAR-SQUARING529

NP25, **468**, 509, 522, 541

NPC*See* nonplayer character

NP-complete435

NP-completeness 435, **478**, 485, 497, 522, 553, 607, 782

NP-hardness478

NPSpace475, **519**

n-puzzle544

nullable variable**162**, 174, 229, 231

OBDD*See* ordered binary decision diagram

obfuscation78

obtainSelf348, **421**, 425, 426

occur check622

Ochoa, Gabriella431

OCR*See* optical character recognition

Oettinger, Anthony263

Ogden, William263

Ogden's Lemma**221**, 228, 263

omega443

Omega443

omega automaton *See* ω -automaton

one-to-one function577

onto function577

ontology**710**

open world assumption710

optical character recognition26, 77, 499

optimization problem437

or introduction558

ordered binary decision diagram 69, 364, 473, 513, 536, **613**, 683

ordered binary decision tree**612**

ordered pair565

origami331

Othello784

OWL13, **714**

P 25, 435, 459, 497, 509, 522, 532, 541

$P = NP?$ 25, 286, 394, 433, **474**

$\mathcal{P}(A)$ *See* power set

PageRank74, 76

PalEven **22**, 126, 151, 177, 180, 186, 203, 208, 219, 225, 304

palindrome **22**, 126, 151, 177, 180, 186, 203, 208, 219, 225, 228, 304

PAM733

Papadimitriou, Christosxi, 144, 430

Parikh, Rohit263

Parikh's Theorem**224**, 228, 263, 639

parity bit transducer70

parity checking**44**, 58

parse table246, 248, 254, 255

parse tree157

- represented as a list676

parser157

- bottom-up191, **247**
- chart**256**, 754
- CKY248
- context-free157, 190, 218, **235**, 456
- deterministic216, 245, 254
- Earley**256**, 263
- island176, 263
- LALR255
- LL(*k*)246
- LR(*k*)254
- natural language**255**, 743, 754
- predictive245
- recursive-descent246
- shift-reduce191, **251**
- top-down190, **238**

parser generator255

part of speech tagging78, 257, **741**, 754

partial μ -recursive function421

partial function300, **408**, 577

partial order572

partial recursive function416

partially computable function**277**, 409, 416

partially ordered set572

partition of a set	61, 564 , 571
patent law	346, 689
path	
Eulerian	463
finding	433, 490, 499, 545, 790
Hamiltonian	309, 470 , 485
in a directed graph	531
in an undirected graph	530
through a Turing machine	270
pattern language	92
Păun, Gheorghe	430
PCP	<i>See</i> Post Correspondence Problem
PDA	<i>See</i> pushdown automaton
PDA _{MIN}	370
<i>PDAtoCFG</i>	197
Peano arithmetic	302, 317, 364 , 365, 510
Peled, Doron	144, 680
Perl	106, 112, 513, 735, 792
Perles, M.	144, 263, 430
Péter, Rózsa	431
Petrie, Ted	144
phenotype	730
phone	756
phoneme	756
phonetic alphabet	756
Phonix	73
phrase structure grammar	262, 375
physical security system	717
pigeonhole principle	63, 64, 123, 514, 587
Pitts, Walter	143
planar graph	501
plant development	146, 399, 809
poetry	143
Politi, Michal	686
polynomial	
space algorithm	519
space complexity	519
time algorithm	446 , 459
time complexity	446 , 459
time reduction	476
population genetics	75
POS tagging	<i>See</i> part of speech tagging
positive Horn clause	764
positive literal	
in Boolean logic	606
in first-order logic	616
Post Correspondence Problem	359 , 371, 430, 435, 480
bounded version	486, 512
proof in SD	361
proof not in D	385, 649
Post machine	201, 304
Post production system	303, 305 , 430, 664, 771, 794
Post, Emil	304, 305, 359, 430, 664, 771
power set	10, 564 , 591
Prague orloj	796
Pratt, Vaughan	52, 448, 552
precedence relation	254
precedence table	254
<i>pred</i>	427
predictive parser	245
<i>pref</i>	133, 227
prefix notation	576
prefix of a string	7
prenex normal form	524, 616
Presburger arithmetic	366 , 430, 510, 561
Presburger, Mojzesz	430
Prim's algorithm	552
primality testing	5, 17, 28, 459, 466 , 474, 511, 541, 553
primary structure of a protein	728
prime factorization	453, 467, 543, 724
prime number	17 , 28, 466, 583
prime number of a's	127, 225
Prime Number Theorem	724
Prime _a	127 , 225
PRIMES	17 , 28, 436, 467, 474, 511, 541
primitive recursive function	303, 416 , 431
<i>Principia Mathematica</i>	301 , 760
prior art	346
probabilistic algorithm	<i>See</i> randomized algorithm
probabilistic context-free grammar	177 , 754
probabilistic finite automaton	73
production system	146 , 305, 306, 664, 771
profile HMM	735
program	592
program synthesis	676
program verification	17, 84, 346, 364, 593, 677, 678
programming language	4, 21, 22, 145, 160, 167, 209, 235, 256, 303, 664
Ada	<i>See</i> Ada
ALGOL 60	<i>See</i> ALGOL 60
Algol 68	<i>See</i> Algol 68
C	<i>See</i> C
C++	<i>See</i> C++
Cobol	<i>See</i> Cobol
Fortran	<i>See</i> Fortran
Haskell	<i>See</i> Haskell
IPL	<i>See</i> IPL languages
Java	<i>See</i> Java
Lisp	<i>See</i> Lisp
ML	<i>See</i> ML
Modula-2	<i>See</i> Modula-2
Perl	<i>See</i> Perl
Prolog	<i>See</i> Prolog
Python	<i>See</i> Python
Scheme	<i>See</i> Scheme
Prolog	147, 307, 379, 765 , 780
proof	
by construction	583
by contradiction	124, 204, 331, 348, 583 , 591, 609
by counterexample	584
proper prefix	7
proper subset	572

proper substring	7
proper suffix	7
propositional logic	<i>See</i> Boolean logic
propositional symbol	556
Prosite	735
protection framework	719
protein	
folding	738
matching	18, 77, 104, 731 , 733, 735
motif	107, 728 , 734
structure	727
protocol	
Alternating Bit	696
ARQ	695
cumulative acknowledgement	699
network	4, 13, 58
Sliding Window	698
Stop-and-Wait	695
TCP	699
<i>prove</i> FOL	365
Prusinkiewicz, Przemyslaw	431
PSPACE	25, 475, 509, 519 , 532
PSPACE-completeness	394, 522
PSPACE-hardness	522
Pumping Theorem	
context-free	204 , 212, 222, 232, 263, 667
regular	124 , 137, 143
punched card	797
pushdown automaton	22, 182 , 263
configuration	182
deterministic	185, 214
nondeterministic	34, 183, 186
Putnam, Hilary	761
Python	735, 792
QBE	<i>See</i> Query by Example
QBF	523 , 761
quantified Boolean expression	523
quantified Boolean formula	524 , 761
quantifier exchange	560
quantum computing	441, 467
Query by Example	690
query language	22, 690, 805
queue plus FSM	303, 304
<i>quicksort</i>	537 , 553
Quielle, J. P.	680
Rabin automaton	144
Rabin, Michael	144, 430, 510, 543, 553
Rabin-Miller test	543, 553
Rado, Tibor	431
railroad diagram	665
randomized algorithm	5 , 467, 537
randomized Turing machine	538
range of a function	575
Raphael, Bertram	553
RBS	<i>See</i> rule-based system
RDF	4, 705
RDF Schema	712
RDF/XML	709
RDFS	<i>See</i> RDF Schema
RE language	<i>See</i> recursively enumerable language
recursion theorem	348
recursive function	416
recursive function theory	415
recursive grammar rule	150 , 241
recursive language	274 , 416
recursive-descent parser	246
recursively enumerable language	275 , 416
reduce-reduce conflict	253
reduction	20, 317, 328 , 648
for complexity	475
for decidability	719
for undecidability	331 , 363, 366, 367, 383, 649, 670, 719
for unsemidecidability	349
logarithmic-time	531
mapping	333, 475
polynomial-time	476
via computation history	367 , 395
reflexive property of relations	568
refutation completeness	611, 621
refutation proof	<i>See</i> proof by contradiction
regex	<i>See</i> regular expression
<i>regextofsm</i>	97
regular expression	92 , 144, 147, 528
equivalence with FSMs	95
for protein motifs	734
hierarchical	97, 689
in DTDs	806
in EBNF	665
in lexical analysis	236
in lightweight analysis	97, 689
in Perl	513, 726, 792
with squaring	528
regular grammar	113 , 144, 160, 778
regular language	21, 39, 44 , 96, 103, 461
regular Pumping Theorem	<i>See</i> Pumping Theorem, regular
Reid, Brian	xii
Reingold, Omer	531
rejecting	
by a deterministic TM	274
by a DFSM	42
by a nondeterministic TM	284
by a PDA	183
by an NDFSM	49
relation	565
binary	565
relational database	690
RELATIVELY-PRIME	454, 466
<i>removeEps</i>	162 , 171, 231, 233, 630
<i>removeleftrecursion</i>	243 , 630
<i>removeLong</i>	173

removeMixed **172**, 630
removeUnits..... **171**, 234, 630
removeunproductive **154**, 232, 233
removeunreachable 155, 233
Rendell, Paul.....430
repl......356
replication of a string6
resolution560
 in Boolean logic512, **609**
 in first-order logic 365, **621**, 759, 761, 763
 SLD.....765
resolve-Boolean.....610
resolve-FOL.....624
Resource Description Framework *See* RDF
Resource Description Framework Schema *See* RDF Schema
respectively.....227, 748
restricted normal form for PDAs **193**, 220
restriction enzyme.....732
RETE773
reverse
 closure under..... 120, 209, 326, 406
 of languages12
 of strings7
reverse engineering.....176, **688**
rewrite system..... **146**, 305, 306, 375, 664, 771
Rice, H. Gordon.....263
Rice's Theorem342, 344
Rich, Elaine758
right identity580
right linear grammar113
right-most derivation159
Rinnooy Kan, A. H. G.552
Rivest, Ronald552, 723
RNA.....730, 737
Robbins Algebra Conjecture.....621
Robinson, J. Alan.....621
Robinson, Julia552
Robinson, Raphael.....431
RoboCup.....801
robot soccer4, 43, **801**
Robson, J. M.784
Roggenbach, Markus144
Rose, Gene.....430
Rosen, Kenneth.....556
Rosenbloom, Paul774
route
 finding..... *See* path finding
routing702
Rozenberg, Grzegorz430
RP539
RSA algorithm.....543, **723**
Rubik's Cube38
rule of least power **25**, 778
rule-based system 146, 305, 771, 791
Russell, Bertrand301, 302, 760
Russell, Stuart.....553, 759
Russell's paradox.....301, 713
Ruzzo, Walter719
safety719
Salomaa, Arto.....430
Santa Claus119
SAT32, 299, **364**, 435, 470, 473, 474, 479, 480, 503, 516, 523, 552, 611
SAT solver.....479, 612
satisfiability
 in Boolean logic556, *See* SAT
 in first-order logic364, 559
Savitch, Walter553
Savitch's Theorem.....530
scheduling problem.....544
Scheinberg, Stephen263
Scheme303, 668
Schmidt, E.263
Schottstaedt, William.....780
Schubert Lieder779
Schutzenberger, Marcel-Paul.....263, 430
Scott, Dana144
Scott, Mike xii
SCXML686
SD (the semidecidable languages)..... **275**, 312, 318
SD/D319
search
 A* **545**, 759, 790
 avoidance by greedy algorithms465
 best-first545, 675, 780
 breadth-first..... 286, **454**, 548, 643, 647
 depth-first.....238, 286, **454**
 heuristic.....5, **544**, 553, 780, 785, 790
 in AI programs759
 in game-playing781, 783, 785, 790
 in music composition780
 in puzzle-solving.....38, 782
 in regex matching.....793
 in solving NP problems.....468
 in theorem proving679, 761
 iterative deepening286, 455, **643**, 647
 minimax.....759, **785**
 secondary structure of a protein.....728
 secondary structure of RNA737
security717
 computer5, 355, 480, **718**
 network725
 physical717
self inverse.....580
self-embedding grammar rule151
self-similarity400
semantic interpretation function **13**, 92, 399, 706
Semantic Web.....4, 5, 25, **703**, 759
semantics13
semidecidability.....27, **275**, 312, 318
 of \neg TILES363

of first-order logic	365	SOAR	774 , 791
of the Post correspondence problem	361	soccer-playing robot	4, 43, 801
semidecidable language	23, 275 , 312, 415	sonata form	778
semideciding		sorting	537, 553
by a deterministic TM	275	Soules, George	144
by a nondeterministic TM	285	sound wave	756
semidecision procedure	30 , 312, 318	Soundex	72
semilinear	640	soundness	
semi-Thue system	375, 384 , 430	of an inference rule	557, 560
Sénizergues, Gérard	233	of resolution	611
sentence of first-order logic	559	with respect to a world	561
sequence alignment	18, 732	space hierarchy theorems	505, 533 , 535
set		space-constructible function	534
562		space-craft controller	685
complement	564	spacereq	439
difference	564	spam	76, 78, 106, 747, 793
intersection	564	spanning tree	464, 702
partition	564	species counterpoint	780
union	564	speech understanding	77, 176, 453, 754
set difference		Speedup Theorem	442, 553, 658
closure under	120, 210	spell checking	746
Seta, Takahiro	553	SPIN	685
Sethi, Ravi	263	SQL	805
set-of-support strategy	611 , 625, 765	Stacy, Cathy	xii
SET-PARTITION	471 , 485, 512	standards	
Seven Bridges of Königsberg	462 , 511	definition of	5, 699, 705, 711
Shamir, Adi	723	statechart	58, 91, 686
Shamir, Eliahu	144, 263, 430	statement of first-order logic	559
Shannon, Claude	746, 780, 785	static evaluation function	785
Shaw, J. C.	760	statistical A.I.	760
shift-reduce conflict	253	STCON	531, 532
shift-reduce parser	191, 251	Stearns, Richard E.	552
Shmoys, David	552	Stein, Clifford	552
Shor, Peter	552	stochastic context-free grammar	177 , 738, 753, 754
Shor's algorithm	467, 552	stochastic finite automaton	73
SHORTEST-PATH	499, 544, 702	Stock, Oliviero	263
SHORTEST-SUPERSTRING	486 , 738	Stockmeyer, Larry	784
<i>shuffle</i>	133 , 227	Stone, Peter	802
Sierpinski triangle	402 , 404	Strassen, Volker	263, 456, 552
Sifakis, J.	680	Strassen's algorithm	250, 263, 442, 456 , 459, 552
<i>simcomputer</i>	287	string	6
Simon, Herbert	760, 780	string search	51, 104, 447, 458, 552
SIMPLE-MAX-CUT	514	STRING-SEARCH	447
<i>simple-rewrite</i>	146 , 155	strong generative capacity	158 , 168, 175, 745
simplex algorithm	502	strong induction	587
Simulink	91	SUBGRAPH-ISOMORPHISM	486 , 498
singleton set	563	sublinear space complexity	529
Sipser, Michael	xi, 144, 539, 784	subset	563 , 572
Skolem constants	618	SUBSET-SUM	470 , 485, 512
Skolem functions	618	substring	7, 603
Skolem, Thoraf	617	subsumption	572 , 611, 711
Skolemization	617, 618	successor function	278, 381, 408, 410, 416, 420, 421, 575
SLD resolution	626, 765	Sudkamp, Thomas	553
Sliding Window protocol	698	Sudoku	38, 478, 486, 553, 781
<i>smn</i> Theorem	<i>See s-m-n</i> Theorem	<i>stuff</i>	133
<i>s-m-n</i> Theorem	427		
SMTP	693		

suffix of a string	7
surface structure	779
SVG	148, 808
Swiss German grammar	749
switch statement	665
<i>Switched on Bach</i>	776
symbolic model checking	69, 84, 144, 364, 473, 612, 615, 679 , 684
symmetric key system	722
symmetric matrix	569
symmetric property of relations	568
syntactic analysis	
in compilers	669
in natural language processing	743
synthesized attribute	399
Szelepcsényi, Róbert	533
tabla drumming	779
tag system	201, 303, 304 , 430
tautology	
Boolean logic	556
first-order logic	559
in Boolean logic	503
taxicab ripoff problem	513
Taylor, R. Gregory	430
TCP	58, 693, 699
temporal logic	681
term	558
terminal alphabet	113, 147, 375
test case generation	688, 747
text editing	52, 793
text-processing software	747
theorem	557, 560
theorem prover	679, 714, 760, 769
theory, first-order logical	365
thesaurus	716
Theta	443
Thomas, Wolfgang	144
THREE-COLORABLE	514
Thue system	384
Thue, Axel	384
TILES	362 , 480, 513
tiling problem	361 , 480, 513
time hierarchy theorems	475, 505
time-constructible function	505
timereq	439
TM	<i>See</i> Turing machine
TM _{MIN}	348 , 354
TM _{REG}	345 , 354
token	104, 236 , 669
top-down parser	190, 238 , 399
total function	408 , 577
total order	10, 574
<i>totalFSM</i>	138
totally ordered set	574
Towers of Hanoi	119, 435, 798
Towers of Hanoi language	799
tractability	435 , 441, 459
training problem in HMMs	79
transducer	
finite state	70 , 734, 800
transformational grammar	779
transitive closure	581
transitivity	569
traveling salesman problem	5, 433 , 437, 467, 471, 474, 485, 490, 497, 502, 503, 511, 517, 536, 552
triangle inequality	434, 552
trigram model	746
trigram tagger	742
trisecting an angle	331
TSP	<i>See</i> traveling salesman problem
TSP-DECIDE	437, 468, 471, 497, 503
Turing Award	3, 144, 552, 664
Turing machine	23, 265
deterministic	266
enumeration by	321
enumeration of	294
function computation	276 , 409
macro language	270
multitape	279
nondeterministic	34, 283
randomized	538
universal	296
Turing reducibility	332
Turing test	758
Turing, Alan	302, 430, 758, 769, 780
Turing-enumerable language	321
Turing-recognizable language	275
tutoring system	773
<i>twice</i>	133
twin primes	134
TWO-COLORABLE	514, 604
two-person games	479, 527, 783
type 0 grammar	375
type 0 language	396
type 1 language	396
type 2 language	396
type 3 language	396
type checking	226, 666, 669
<i>U</i> (the universal TM)	292, 296
Ullman, Jeffrey	xi, 263, 431, 553, 719
UML	686
unary function	575
uncountably infinite set	592
undecidability	27, 328
of a simple security system	719
of context-free languages	162, 366
of first-order logic	302, 364 , 620, 761, 769
of Hilbert's 10 th problem	358
of the halting problem	314 , 331 , 441
of the Post correspondence problem	361
of tiling problems	363
unification	398, 621

unification grammar	397, 406, 431, 751
Unified Modeling Language	686
<i>unify-for-resolution</i>	622
union	
closure under	36, 119, 209, 217, 325, 392
of sets	564, 580
unit preference strategy	611, 625
unit production	171
universal instantiation	560
universal resource identifier	45, 180, 704
universal Turing machine	292, 296, 300
universe, age of	419, 433, 799
unreachable variables in context-free grammars ...	154
unrestricted grammar	303, 306, 375 , 384, 430, 778
UNSAT	503 , 612
unsatisfiability	
in Boolean logic	503, 556, 609
in first-order logic	559, 621
unweighted graph	464
URI	<i>See</i> universal resource identifier
useless variables in context-free grammars	154
USTCON	530
Valiant, Leslie	263
VALID	364 , 503
validity	
in Boolean logic	364, 473, 503, 556
in first-order logic	364, 559
vending machine FSM	40
Venn diagram	564
verification of programs	17, 84, 346, 364, 593, 677, 678
verifier	469
vertex cover	488 , 500, 702
VERTEX-COVER	488 , 500, 513, 702
video game	<i>See</i> games, video
<i>virus</i>	422
virus detection	339, 725
Viterbi algorithm	79 , 81, 144, 453, 736, 742, 755, 778
Viterbi, Andrew	144
W3C	<i>See</i> World Wide Web Consortium
Wang tile	361
Wang, Hao	430
Wang's conjecture	362
Warshall's algorithm	582
WcW	208 , 212, 275, 387, 455, 666, 748
weak generative capacity	158 , 168, 175, 745
weighted graph	464
Weiss, Norman	144
well-founded set	574 , 593
well-ordered set	574 , 587
West, Robert	778
wff	
Boolean logic	556
first-order logic	558
Whitehead, Alfred North	301, 302, 760
Winograd, Shmuel	263, 552
<i>without</i> \$	216 , 234
Wolfram, Stephen	308, 430
word problem	384
word processing	52
Wordnet	716
working memory	772
World Wide Web	viii, 25, 45, 74, 76, 693, 703 , 805, 808
World Wide Web Consortium	705
worst-case performance	439
WW22, 203 , 212, 299, 304, 305, 377, 406, 748, 749, 778, 793	
XML	13, 107, 707, 709, 806 , 808
Yacc	237, 255 , 263
Yato, Takayuki	553
Younger, Daniel	248, 263
zero of a function	580
Zloof, Moshé	690
ZPP	540
Zuckerman, David	xii