Edge-transitive tessellations with non-negative Euler characteristic

Alen Orbanić

Daniel Pellicer

Tomaž Pisanski

Thomas Tucker

Arjana Žitnik

Maps

- **2-CELL EMBEDDING** of a

Maps

- **2-CELL EMBEDDING** of a
- **3-CONECTED GRAPH** on a

Maps

- **2-CELL EMBEDDING** of a
- **3-CONECTED GRAPH** on a
- **COMPACT CLOSED SURFACE**

Maps

- **2-CELL EMBEDDING** of a
- **3-CONECTED GRAPH** on a
- **COMPACT CLOSED SURFACE**

▶ Automorphism $\longrightarrow$ automorphism of the graph that extends to an auto-homomeorphism of the surface.

Maps

- **2-CELL EMBEDDING** of a
- **3-CONECTED GRAPH** on a
- **COMPACT CLOSED SURFACE**

▶ Automorphism $\longrightarrow$ automorphism of the graph that extends to an auto-homomeorphism of the surface.

▶ Flag $\longrightarrow$ triple of incident vertex, edge and cell (face)

Flag graph



Flag graph



Flag graph



Flag graph



Delaney-Dress symbol

- Delaney-Dress symbol $\longrightarrow$ flag graph / automorphism group

Delaney-Dress symbol

- Delaney-Dress symbol $\longrightarrow$ flag graph / automorphism group



regular

Delaney-Dress symbol

- Delaney-Dress symbol $\longrightarrow$ flag graph / automorphism group



regular

chiral

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group
- Edge type $\langle p, q; s, t \rangle$

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group
- Edge type $\langle p, q; s, t \rangle$

  - p, $q \longrightarrow$ size of faces

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group
- Edge type $\langle p, q; s, t \rangle$

  - p, $q \longrightarrow$ size of faces
  - s, $t \longrightarrow$ degrees of vertices

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group
- Edge type $\langle p, q; s, t\rangle$
  - p, q $\longrightarrow$ size of faces
  - s, t $\longrightarrow$ degrees of vertices
- *Edge homogeneous* $\longrightarrow$ every edge has the same type

Edge-transitive

- Edge-transitive maps have 1- 2- or 4-orbits under the automorphism group
- Edge type $\langle p, q; s, t\rangle$
  - p, q $\longrightarrow$ size of faces
  - s, t $\longrightarrow$ degrees of vertices
- *Edge homogeneous* $\longrightarrow$ every edge has the same type

- On planar tessellations
Edge-homogeneous $\Longleftrightarrow$ edge-transitive

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Icosahedron $\langle 3, 3; 5, 5 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Icosahedron $\langle 3, 3; 5, 5 \rangle$
- Cuboctahedron $\langle 3, 4; 4, 4 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Icosahedron $\langle 3, 3; 5, 5 \rangle$
- Cuboctahedron $\langle 3, 4; 4, 4 \rangle$
- Icosidodecahedron $\langle 3, 5; 4, 4 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Icosahedron $\langle 3, 3; 5, 5 \rangle$
- Cuboctahedron $\langle 3, 4; 4, 4 \rangle$
- Icosidodecahedron $\langle 3, 5; 4, 4 \rangle$
- Rhombic dodecahedron $\langle 4, 4; 3, 4 \rangle$

Spherical tessellations

- Tetrahedron $\langle 3, 3; 3, 3 \rangle$
- Cube $\langle 4, 4; 3, 3 \rangle$
- Octahedron $\langle 3, 3; 4, 4 \rangle$
- Dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Icosahedron $\langle 3, 3; 5, 5 \rangle$
- Cuboctahedron $\langle 3, 4; 4, 4 \rangle$
- Icosidodecahedron $\langle 3, 5; 4, 4 \rangle$
- Rhombic dodecahedron $\langle 4, 4; 3, 4 \rangle$
- Rhombic triacontahedron $\langle 4, 4; 3, 5 \rangle$

Euclidean tessellations



<4,4;4,4>

Euclidean tessellations



<4,4;4,4>



<3,3;6,6>

Euclidean tessellations



<4,4;4,4>



<3,3;6,6>



<6,6;3,3>

Euclidean tessellations



<4,4;4,4>



<3,3;6,6>



<6,6;3,3>



<3,6;4,4>

Euclidean tessellations



<4,4;4,4>



<3,3;6,6>



<6,6;3,3>



<3,6;4,4>



<4,4;3,6>

Hyperbolic tessellations



{3,7}

{7,3}

Admissible types

1 $p = q, s = t$: regular (reflexible)

Admissible types

1 $p = q, s = t$: regular (reflexible)

2.1 $s = t$, even, $p > q$, both odd: vertex-transitive

2.2 $s = t, p > q$, all even: vertex-transitive

2.3 $s = t$, even, $p > q$, one odd: vertex-transitive

Admissible types

1 $p = q, s = t$: regular (reflexible)

2.1 $s = t$, even, $p > q$, both odd: vertex-transitive

2.2 $s = t, p > q$, all even: vertex-transitive

2.3 $s = t$, even, $p > q$, one odd: vertex-transitive

3.1 $s > t, p = q$, all even: face-transitive

3.2 $p = q$, even, $s > t$, one odd: face-transitive

3.3 $p = q$, even, $s > t$, both odd: face-transitive

Admissible types

1 $p = q, s = t$: regular (reflexible)

2.1 $s = t$, even, $p > q$, both odd: vertex-transitive

2.2 $s = t, p > q$, all even: vertex-transitive

2.3 $s = t$, even, $p > q$, one odd: vertex-transitive

3.1 $s > t, p = q$, all even: face-transitive

3.2 $p = q$, even, $s > t$, one odd: face-transitive

3.3 $p = q$, even, $s > t$, both odd: face-transitive

4 $p > q, s > t$, all even

Compact surfaces

- Edge-transitive maps on compact surfaces

Compact surfaces

- Edge-transitive maps on compact surfaces $\longrightarrow$ quotients of an edge-transitive planar tessellation

Compact surfaces

- Edge-transitive maps on compact surfaces $\longrightarrow$ quotients of an edge-transitive planar tessellation

- Quotients of the sphere

Compact surfaces

- Edge-transitive maps on compact surfaces $\longrightarrow$ quotients of an edge-transitive planar tessellation

- Quotients of the sphere $\longrightarrow$ Projective plane

Compact surfaces

- Edge-transitive maps on compact surfaces $\longrightarrow$ quotients of an edge-transitive planar tessellation
- Quotients of the sphere $\longrightarrow$ Projective plane
- Quotients of the Euclidean plane

Compact surfaces

- Edge-transitive maps on compact surfaces $\longrightarrow$ quotients of an edge-transitive planar tessellation

- Quotients of the sphere $\longrightarrow$ Projective plane

- Quotients of the Euclidean plane $\longrightarrow$ Torus, Klein bottle

Projective plane





Projective plane

- Hemi-cube $\langle 4, 4; 3, 3 \rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3 \rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4 \rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3 \rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4 \rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3 \rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3 \rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4 \rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Hemi-icosahedron $\langle 3, 3; 5, 5 \rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3 \rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4 \rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3 \rangle$
- Hemi-icosahedron $\langle 3, 3; 5, 5 \rangle$
- Hemi-cuboctahedron $\langle 3, 4; 4, 4 \rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3\rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4\rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3\rangle$
- Hemi-icosahedron $\langle 3, 3; 5, 5\rangle$
- Hemi-cuboctahedron $\langle 3, 4; 4, 4\rangle$
- Hemi-icosidodecahedron $\langle 3, 5; 4, 4\rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3\rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4\rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3\rangle$
- Hemi-icosahedron $\langle 3, 3; 5, 5\rangle$
- Hemi-cuboctahedron $\langle 3, 4; 4, 4\rangle$
- Hemi-icosidodecahedron $\langle 3, 5; 4, 4\rangle$
- Hemi-rhombic dodecahedron $\langle 4, 4; 3, 4\rangle$

Projective plane

- Hemi-cube $\langle 4, 4; 3, 3\rangle$
- Hemi-octahedron $\langle 3, 3; 4, 4\rangle$
- Hemi-dodecahedron $\langle 5, 5; 3, 3\rangle$
- Hemi-icosahedron $\langle 3, 3; 5, 5\rangle$
- Hemi-cuboctahedron $\langle 3, 4; 4, 4\rangle$
- Hemi-icosidodecahedron $\langle 3, 5; 4, 4\rangle$
- Hemi-rhombic dodecahedron $\langle 4, 4; 3, 4\rangle$
- Hemi-rhombic triacontahedron $\langle 4, 4; 3, 5\rangle$

Torus



Torus



Torus



Klein bottle



Admissible types

1 $p = q, s = t$: regular (reflexible)

2.1 $s = t$, even, $p > q$, both odd: vertex-transitive

2.2 $s = t, p > q$, all even: vertex-transitive

2.3 $s = t$, even, $p > q$, one odd: vertex-transitive

3.1 $s > t, p = q$, all even: face-transitive

3.2 $p = q$, even, $s > t$, one odd: face-transitive

3.3 $p = q$, even, $s > t$, both odd: face-transitive

4 $p > q, s > t$, all even

Admissible types

- Every edge-transitive tessellation has one of the previous admissible types

Admissible types

- Every edge-transitive tessellation has one of the previous admissible types
- There are infinitely many maps on compact closed surfaces with any given hyperbolic type

Flag graphs



Flag graphs



Higher genus

- Alen's Orbanić's PhD

Higher genus

- Alen's Orbanić's PhD

- Edge type

Higher genus

- Alen's Orbanić's PhD

- Edge type
- Delaney-Dress graph