

“Ant Colony Optimization: The Traveling Salesman Problem”

Section 2.3 from *Swarm Intelligence: From Natural to Artificial Systems*
by Bonabeau, Dorigo, and Theraulaz


Traveling Salesman Problem (TSP)

- Goal is to find a closed tour of minimal length connecting n given cities.
- The problem can be thought of as a graph, with each city as a node and the paths between them as edges.

Traveling Salesman Problem

- Ant colony optimization approach to TSP was initiated by Dorigo, Coloni, and Maniezzo
- The researchers chose the TSP for several reasons:
 - It is a shortest path problem to which the ant colony metaphor is easily adapted.
 - It is a very difficult (NP) problem
 - It has been studied a lot and therefore many sets of test problems are available, as well as many algorithms with which to run comparisons.
 - It is a didactic problem: it is very easy to understand and explanations of the algorithm behavior are not obscured by too many technicalities.

Ant System (AS)



- Ants build solutions to TSP by moving on the problem graph from one city to another until they complete a tour.
- During an iteration of the AS algorithm each ant builds a tour executing one step for each node (city).
- For each ant, transitions from one city to another depend on:
 - Whether or not the city has been visited
 - The heuristic desirability (“visibility”) of connected cities.
 - The amount of pheromone trail on the edge connecting two cities

Transition Rule

$$p_{ij}^k(t) = \frac{[\tau_{ij}(t)]^\alpha \cdot [\eta_{ij}]^\beta}{\sum_{l \in J_i^k} [\tau_{il}(t)]^\alpha \cdot [\eta_{il}]^\beta},$$

- τ_{ij} : Pheromone strength between i and j
- η_{ij} : visibility between i and j , defined as $1/\text{distance}_{ij}$

Algorithm 2.1 High-level description of AS-TSP

/* Initialization */

For every edge (i, j) **do**

$\tau_{ij}(0) = \tau_0$

End For

For $k = 1$ to m **do**

 Place ant k on a randomly chosen city

End For

Let T^+ be the shortest tour found from beginning and L^+ its length

/* Main loop */

For $t = 1$ to t_{\max} **do**

For $k = 1$ to m **do**


 Build tour $T^k(t)$ by applying $n - 1$ times the following step:

 Choose the next city j with probability

$$p_{ij}^k(t) = \frac{[\tau_{ij}(t)]^\alpha \cdot [\eta_{ij}]^\beta}{\sum_{l \in J_i^k} [\tau_{il}(t)]^\alpha \cdot [\eta_{il}]^\beta},$$

where i is the current city

Pheromone Trail



- At the end of a tour, each ant lays pheromones on each edge it has used
- The amount of pheromone is proportional to the performance of the ant
- Pheromones intensity on each edge decays over time

End For

For $k = 1$ **to** m **do**

 Compute the length $L^k(t)$ of the tour $T^k(t)$ produced by ant k

End For

If an improved tour is found **then**

 update T^+ and L^+

End If

For every edge (i, j) **do**

 Update pheromone trails by applying the rule:

$\tau_{ij}(t) \leftarrow (1 - \rho) \cdot \tau_{ij}(t) + \Delta\tau_{ij}(t) + e \cdot \Delta\tau_{ij}^e(t)$ where

$$\Delta\tau_{ij}(t) = \sum_{k=1}^m \Delta\tau_{ij}^k(t),$$

$$\Delta\tau_{ij}^k(t) = \begin{cases} Q/L^k(t) & \text{if } (i, j) \in T^k(t); \\ 0 & \text{otherwise,} \end{cases}$$

Elitist Ants

- “Elitist” ants introduced to improve performance
- Elitist ants reinforce the edges belonging to the best tour found from the beginning of the trial
- Elitist ants are added at every iteration to reinforce the best path

For every edge (i, j) do

Update pheromone trails by applying the rule:

$\tau_{ij}(t) \leftarrow (1 - \rho) \cdot \tau_{ij}(t) + \Delta\tau_{ij}(t) + e \cdot \Delta\tau_{ij}^e(t)$ where



$$\Delta\tau_{ij}(t) = \sum_{k=1}^m \Delta\tau_{ij}^k(t),$$

$$\Delta\tau_{ij}^k(t) = \begin{cases} Q/L^k(t) & \text{if } (i, j) \in T^k(t); \\ 0 & \text{otherwise,} \end{cases}$$

and

$$\Delta\tau_{ij}^e(t) = \begin{cases} Q/L^+ & \text{if } (i, j) \in T^+; \\ 0 & \text{otherwise,} \end{cases}$$

End For



For every edge (i, j) do

$\tau_{ij}(t+1) = \tau_{ij}(t)$

End For

End For

Print the shortest tour T^+ and its length L^+


Stop

/ Values of parameters used in experiments */*

$\alpha = 1, \beta = 5, \rho = 0.5, m = n, Q = 100, \tau_0 = 10^{-6}, e = 5$

AS Conclusions

- For small problems, AS performs comparably to other TSP algorithms
- Quickly converged to good solutions for larger problems, but could not find optimal solutions
- Performance level is much lower than specialized TSP algorithms



	Best tour	Average	Std. Dev.
AS-TSP	420	420.4	1.3
TS	420	420.6	1.5
SA	422	459.8	25.1

AS Conclusions




FIGURE 2.12 Evolution of best tour length (Test problem: Oliver30). Typical run. After Dorigo et al. [109]. Reprinted by permission © *IEEE Press*.

- Does not converge to a single optimal solution
- Continues to produce new, possibly improving, solutions
 - Avoids getting trapped in local optima
 - AS is promising for applications to dynamic problems